

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0209934 - AKITA SUSHI RESTAURANT		Site Address 5353 ALMADEN EX M-22, SAN JOSE, CA 95118		Inspection Date 06/11/2025		Placard Color & Score GREEN 84		
Program PR0304473 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name AKITA SUSHI LLC		Inspection Time 14:20 - 15:30			
Inspected By CHRISTINA RODRIGUEZ		Inspection Type ROUTINE INSPECTION		Consent By CARLOS				FSC Benjamin Arias 7/08/29

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						S
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible			X	X			
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods	X						
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals			X				

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use	X	
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use	X	
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored	X	
K41	Plumbing approved, installed, in good repair; proper backflow devices	X	
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0209934 - AKITA SUSHI RESTAURANT		Site Address 5353 ALMADEN EX M-22, SAN JOSE, CA 95118	Inspection Date 06/11/2025
Program PR0304473 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name AKITA SUSHI LLC	Inspection Time 14:20 - 15:30
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: *There was not any paper towels in the dispenser at the kitchen hand sink. [CA] Keep paper towels in the dispenser. [COS] The employee refilled the dispenser.*

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: *Observed several small gnat-like flies. [CA] Take effective measures to eliminate the flies.*

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: *There are unlabeled bulk food bins. [CA] Label all bulk food bins with the contents.*

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: *The shelves are lined with deteriorated cardboard. [CA] Discontinue the use of cardboard boxes to line shelves/flooring, use approved equipment made of materials that is easily cleanable, durable, smooth, and nonabsorbent.*

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: *The walk in refrigerator is very dim inside. You are unable to see everything without a flashlight. [CA] Provide more light in the walkin cooler.*

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

Inspector Observations: *Observed used wiping towels on table tops. [CA] The used towels must be stored in sanitizer between each use. [COS] The employee placed them in sanitizer. The bucket provided had only water. The employee added chlorine to it.*

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: *Observed pipes in the floor sink. [CA] There must be an air gap between the pipe and the top of the floor sink. Remove them from inside the floor sink.*

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
fish	prep unit	37.00 Fahrenheit	
water	dish sink	120.00 Fahrenheit	
chicken	refrigerator	37.00 Fahrenheit	
water	hand sink	100.00 Fahrenheit	
sushi	sushi prep top unit	38.00 Fahrenheit	
cream cheese	refrigerator	38.00 Fahrenheit	
eggs	prep unit	40.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0209934 - AKITA SUSHI RESTAURANT	Site Address 5353 ALMADEN EX M-22, SAN JOSE, CA 95118	Inspection Date 06/11/2025
Program PR0304473 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name AKITA SUSHI LLC	Inspection Time 14:20 - 15:30

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/25/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By:

Signed On: June 11, 2025