

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0275806 - CHUTNEYS CA INC		<b>Site Address</b> 954 E EL CAMINO REAL, SUNNYVALE, CA 94087	<b>Inspection Date</b> 03/28/2023
<b>Program</b> PR0416883 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		<b>Owner Name</b> CHUTNEYS CA INC	<b>Inspection Time</b> 15:45 - 16:20
<b>Inspected By</b> SUKHREET KAUR	<b>Inspection Type</b> FOLLOW-UP INSPECTION	<b>Consent By</b> VISHNU	

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>N/A</b>
--

**Comments and Observations**

**Major Violations**

Cited On: 03/28/2023

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

**Compliance of this violation has been verified on: 03/28/2023**

**Minor Violations**

N/A

**Measured Observations**

Item	Location	Measurement	Comments
Hot water	Three compartment sink	120.00 Fahrenheit	
Warm water	Hand wash sink	100.00 Fahrenheit	

**Overall Comments:**

*Follow up inspection for routine inspection from today 3/28/2023.*

*Major violation K21 is corrected.*

*Per owner Vishnu, plumber was called to fix the water heater issue.*

*Hot water measured at 120F at three compartment sink.*

*Facility is okay to re-open.*

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/11/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: Vishnu M.

Signed On: March 28, 2023