

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0293862 - SAN JOSE EARTHQUAKES TEAM CAFE		Site Address 501 EARTHQUAKES WY 10, SAN JOSE, CA 95110		Inspection Date 11/12/2025		Placard Color & Score GREEN 96		
Program PR0437643 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name THOMAS MANAGEMENT LLC		Inspection Time 13:15 - 14:30			
Inspected By KATHY VO		Inspection Type ROUTINE INSPECTION		Consent By ANTONIO				FSC Antonio Delgado 05/11/2026

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible							
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use	X	
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0293862 - SAN JOSE EARTHQUAKES TEAM CAFE	Site Address 501 EARTHQUAKES WY 10, SAN JOSE, CA 95110	Inspection Date 11/12/2025
Program PR0437643 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name THOMAS MANAGEMENT LLC	Inspection Time 13:15 - 14:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Facility lacks testing materials for high temperature dishwasher. [CA] Testing equipment and materials shall be provided to adequately measure the applicable sanitization method used during manual or mechanical warewashing.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: 1) Observed scoop handles in direct contact with food inside bulk ingredient bins. [CA] Ensure scoops are stored in such a way to prevent direct hand contact with food.

2) Observed working utensils stored in soiled, standing water. [CA] Utensils shall be stored in the following manner: 1) in the food with their handles above the top of the food and the container, 2) in running water, 3) in a container of water at 135°F or above, 4) at room temperature if washed within 4 hours of initial use.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
cooked mushrooms	walk-in cooler	36.00 Fahrenheit	
beverages	2-door under counter	41.00 Fahrenheit	
final rinse	high temperature dishwasher	160.00 Fahrenheit	
water	preparation sink	120.00 Fahrenheit	
cream	2-door under counter	41.00 Fahrenheit	
sanitizer (sink & surface)	3-compartment sink	1.70 PPM	
water	handwash sink	100.00 Fahrenheit	
water	3-compartment sink	120.00 Fahrenheit	
orange juice	display cooler	41.00 Fahrenheit	
pepperoni	2-door under counter	41.00 Fahrenheit	
chia pudding	2-door under counter	41.00 Fahrenheit	

Overall Comments:

Facility operates from 11:30 AM - 1:30 PM for the San Jose Earthquakes and is closed during the off-season (holidays).


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/26/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0293862 - SAN JOSE EARTHQUAKES TEAM CAFE	Site Address 501 EARTHQUAKES WY 10, SAN JOSE, CA 95110	Inspection Date 11/12/2025
Program PR0437643 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name THOMAS MANAGEMENT LLC	Inspection Time 13:15 - 14:30

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Antonio Delgado
Chef

Signed On: November 12, 2025