

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| | | | | | |
|---|--|---|---|--------------------------------------|---|
| Facility FA0212028 - ESPRESSO BAR @ NORDSTROM #425 | | Site Address 2400 FOREST AV, SAN JOSE, CA 95050 | | Inspection Date 05/13/2022 | |
| Program PR0303913 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10 | | | Owner Name NORDSTROM RESTAURANT | | Inspection Time 16:15 - 17:15 |
| Inspected By GINA STIEHR | | Inspection Type FOLLOW-UP INSPECTION | | Consent By JAMES HUR | |

| |
|--|
| Placard Color & Score GREEN N/A |
|--|

Comments and Observations

Major Violations

N/A

Minor Violations

Cited On: 05/13/2022

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: Observed 3 dead cockroaches and several cabinets with cockroach feces. [CA] Deep clean entire facility; thoroughly clean and sanitize before putting food and other items back into cabinets.

Measured Observations

| <u>Item</u> | <u>Location</u> | <u>Measurement</u> | <u>Comments</u> |
|-------------|-----------------|--------------------|-----------------|
| hot water | handwash sink | 100.00 Fahrenheit | |

Overall Comments:

Follow-up inspection for violation #23 (cockroach infestation). No live cockroaches observed. Observed dead cockroaches and cockroach feces. Once facility is deep cleaned and thoroughly sanitized, they may reopen.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/27/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: James Hur
 Manager
Signed On: May 13, 2022