

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0299523 - ROCHE CAFE - MAIN KITCHEN		Site Address 2801 SCOTT BL, SANTA CLARA, CA 95050		Inspection Date 03/12/2026		Placard Color & Score GREEN 97		
Program PR0439537 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name COMPASS GROUP LLC		Inspection Time 10:10 - 12:10			
Inspected By THAO HA		Inspection Type ROUTINE INSPECTION		Consent By EFREN CASTANEDA				FSC Efran Castaneda 2/11/2030

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X	X			
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0299523 - ROCHE CAFE - MAIN KITCHEN		Site Address 2801 SCOTT BL, SANTA CLARA, CA 95050	Inspection Date 03/12/2026
Program PR0439537 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name COMPASS GROUP LLC	Inspection Time 10:10 - 12:10
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: 3-comp sink measured to have 105F hot water. [CA] Provide hot water at 120F in 3-comp sink.

****REPEAT VIOLATION****

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Sandwich	Prepped foods cooler left	53.00 Fahrenheit	Per operator sandwiches were prepped in the last 20 minutes. Observed more sandwiches being prepped by employee
Green goddess dressing	Left cookline prep cooler	40.00 Fahrenheit	
Rinse cycle	Upright dishwasher	160.00 Fahrenheit	
Marinated chicken	Chicken upright cooler	38.00 Fahrenheit	
Cooked ground beef	Out of oven	157.00 Fahrenheit	
Warm water	Handwash sink	100.00 Fahrenheit	
Ambient temperature	Back upright warmer left	162.00 Fahrenheit	
Cut fruit	Grab n go cooler	37.00 Fahrenheit	
Quat ammonia	3-comp sink	200.00 Fahrenheit	
Raw chicken	Drawer under grill	38.00 Fahrenheit	
Chicken	Salad bar upright cooler	38.00 Fahrenheit	
Cooked chicken	Upright warmer	147.00 Fahrenheit	
Raw eggs	Right cookline prep cooler	39.00 Fahrenheit	
Milk	Dairy upright cooler	39.00 Fahrenheit	
Raw beef	Beef/Pork upright cooler	40.00 Fahrenheit	
Cooked chicken	Out of oven	168.00 Fahrenheit	
Hot water	3-comp sink	105.00 Fahrenheit	
Ambient temperature	prep cooler next to cookline and oven	41.00 Fahrenheit	
Cheese	Drawer under grill	38.00 Fahrenheit	
Fish roe	Seafood upright cooler	39.00 Fahrenheit	
Cut tomatoes	Right cookline prep cooler	39.00 Fahrenheit	
Yellow rice	Upright warmer	140.00 Fahrenheit	
Quinoa	Prepped foods cooler right	39.00 Fahrenheit	
Green bean salad	prep cooler next to cookline and oven	51.00 Fahrenheit	Per operator, salad was prepped in the last 30 minutes
Yogurt	Salad bar cooler	39.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/26/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0299523 - ROCHE CAFE - MAIN KITCHEN	Site Address 2801 SCOTT BL, SANTA CLARA, CA 95050	Inspection Date 03/12/2026
Program PR0439537 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name COMPASS GROUP LLC	Inspection Time 10:10 - 12:10

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Efren Castaneda
Manager

Signed On: March 12, 2026