

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0202158 - ROSY YOGURT		Site Address 464 N SANTA CRUZ AV, LOS GATOS, CA 95030	Inspection Date 03/18/2025
Program PR0303512 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name ROSY YOGURT, INC.	Inspection Time 10:30 - 11:00
Inspected By PRINCESS LAGANA	Inspection Type FOLLOW-UP INSPECTION	Consent By MARYAM	

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

N/A

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

Follow up inspection regarding lack of hot water. Specialist observed hot water of at least 120F at the 3 comp sink and warm water of at least 100F at all hand sink stations. Okay to operate.

Water heater information:

Model #: NPE: 210S2 - NG; Tankless Gas Water Heater

Heat Capacity: 12,000-180,000 BTU/H

Facility submitted plans to DEH Plan Check under SR0880167.

Facility shall continue with the DEH Plan Check procedures regarding water heater. Failure to complete Plan Check process regarding water heater may subject facility to enforcement actions.

This is the facility's second follow up inspection. The first follow up inspection is free of charge, any and all subsequent follow up inspections shall be charged at the approved hourly rate of \$298/hr, minimum of one hour. Facility will be invoiced for today's follow up inspection.

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/1/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By: Maryam Vafa
Owner

Signed On: March 18, 2025