

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0262244 - KING EGGROLL		Site Address 8610 SAN YSIDRO AV, GILROY, CA 95020		Inspection Date 07/29/2019	
Program PR0384638 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name ROYAL KING EGGROLL INC #		Inspection Time 15:30 - 17:00
Inspected By MICHAEL POWELL	Inspection Type ROUTINE INSPECTION		Consent By NGA	FSC Dieu Le /30/20	

Placard Color & Score
GREEN
90

RISK FACTORS AND INTERVENTIO	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible			X				
K07 Proper hot and cold holding temperatures			X				
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods	X						
K10 Proper cooking time & temperatures	X						
K11 Proper reheating procedures for hot holding	X						
K12 Returned and reservice of food						X	
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICE	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used	X	
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips	X	
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

OFFICIAL INSPECTION REPORT

Facility FA0262244 - KING EGGROLL	Site Address 8610 SAN YSIDRO AV, GILROY, CA 95020	Inspection Date 07/29/2019
Program PR0384638 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name ROYAL KING EGGROLL INC #3	Inspection Time 15:30 - 17:00

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Front end hand wash sink is staging a tray. Keep hand wash sink stocked and accessible at all times.

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: chicken at cooks line measured 44F, Beef 43F and milk at coffe/tea area. All potentially hazardous food (PHF) must maintain a temperature below 41F. According to operator meat was cooked within the last 2 hours. The operator relocated the meat to the walk in to re establish an internal temperature less than 41F. Monitor temperatures and adjust/repair units.

K29 - 2 Points - Toxic substances improperly identified, stored, used; 114254, 114254.1, 114254.2

Inspector Observations: An unknown chemical stored in a sprayer was noted. Label spray container of contents and discontinue using non commercial insecticides.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Sanitizing bucke and sanitizing wiping towel was not set up at cooks line. Provide a sanitizing solution 100 ppm wherever food related activities are being prepared.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
sanitizer	auto dish	50.00 PPM	
water	hand sink	100.00 Fahrenheit	
chicken	cooks line	44.00 Fahrenheit	
eggs	2 door reach in	39.00 Fahrenheit	
rice	hot holding	138.00 Fahrenheit	
beef	cooks line	43.00 Fahrenheit	
vegetables	walk in	37.00 Fahrenheit	
milk	reach in	43.00 Fahrenheit	
water	3 basin sink	120.00 Fahrenheit	
orange chicken	hot holding	135.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/12/2019**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0262244 - KING EGGROLL	Site Address 8610 SAN YSIDRO AV, GILROY, CA 95020	Inspection Date 07/29/2019
Program PR0384638 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name ROYAL KING EGGROLL INC #3	Inspection Time 15:30 - 17:00

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: NGA

Signed On: July 29, 2019