## **County of Santa Clara**

## Department of Environmental Health

## **Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org



# **OFFICIAL INSPECTION REPORT**

Facility Site Address   FA0281635 - DEL MAR HIGH SCHOOL CONCESSION BUILDIN 1224 DEL MAR AV, SAN JOSE, CA 95128			ion Date 6/2021			Color & Sco	
Program Owner Name			ion Time		GR	EE	N
PR0415933 - SCHOOL FOOD SERVICE RISK CAT 1 - FP21 CAMPBELL UNION HIV Inspected By Inspection Type Consent By FSC Not Avai		13:35	5 - 14:10	-11	C	92	
THAO HA ROUTINE INSPECTION DAVID	lable						
RISK FACTORS AND INTERVENTIONS	IN	O Major	UT Minor	COS/SA	N/O	N/A	PBI
K01 Demonstration of knowledge; food safety certification			Х				
K02 Communicable disease; reporting/restriction/exclusion	Х						
Ko3 No discharge from eyes, nose, mouth	Х						
K04 Proper eating, tasting, drinking, tobacco use	Х						
K05 Hands clean, properly washed; gloves used properly	Х						
K06 Adequate handwash facilities supplied, accessible	Х						
K07 Proper hot and cold holding temperatures					Х		
K08 Time as a public health control; procedures & records						Х	
K09 Proper cooling methods						Х	
K10 Proper cooking time & temperatures						Х	
K11 Proper reheating procedures for hot holding						Х	
K12 Returned and reservice of food					Х		
K13 Food in good condition, safe, unadulterated	Х						
K14 Food contact surfaces clean, sanitized	Х						
K15 Food obtained from approved source	Х						
K16 Compliance with shell stock tags, condition, display						Х	
K17 Compliance with Gulf Oyster Regulations						Х	
K18 Compliance with variance/ROP/HACCP Plan						Х	
K19 Consumer advisory for raw or undercooked foods						Х	
K20 Licensed health care facilities/schools: prohibited foods not being offered	Х						
K21 Hot and cold water available			Х				
K22 Sewage and wastewater properly disposed	Х						
K23 No rodents, insects, birds, or animals	Х						
GOOD RETAIL PRACTICES						OUT	cos
K24 Person in charge present and performing duties							
K25 Proper personal cleanliness and hair restraints							
κ26 Approved thawing methods used; frozen food							
K27 Food separated and protected							
K28 Fruits and vegetables washed							
K29 Toxic substances properly identified, stored, used							
K30 Food storage: food storage containers identified							
K31 Consumer self service does prevent contamination							
K32 Food properly labeled and honestly presented							
K33 Nonfood contact surfaces clean						Х	
K34 Warewash facilities: installed/maintained; test strips							
κ35 Equipment, utensils: Approved, in good repair, adequate capacity							
κ36 Equipment, utensils, linens: Proper storage and use							
K37 Vending machines							
K38 Adequate ventilation/lighting; designated areas, use							
K39 Thermometers provided, accurate							
K40 Wiping cloths: properly used, stored							
K41 Plumbing approved, installed, in good repair; proper backflow devices							
K42 Garbage & refuse properly disposed; facilities maintained							
K43 Toilet facilities: properly constructed, supplied, cleaned							
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing							
							1
K45 Floor, walls, ceilings: built, maintained, clean							

# **OFFICIAL INSPECTION REPORT**

Facility FA0281635 - DEL MAR HIGH SCHOOL CONCESSION BUILDIN	· · · · · · · · · · · ·	ction Date 16/2021	
Program PR0415933 - SCHOOL FOOD SERVICE RISK CAT 1 - FP21		ction Time 35 - 14:10	
K48 Plan review			
K49 Permits available			
K58 Placard properly displayed/posted			

### **Comments and Observations**

#### **Major Violations**

No major violations were observed during this inspection.

### **Minor Violations**

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

#### Inspector Observations: No FSC available.

[CA] Food facilities that prepare, handle, or serve non-prepackaged potentially hazard foods shall have a valid Food Safety Certificate available for review at all times.
K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419
Inspector Observations: Hot water measured to be 115F. [CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.
K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations: Counter tops and floors observed to be dusty with debris. Facility not currently in use. [CA] Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.

#### Performance-Based Inspection Questions

#### N/A

### **Measured Observations**

<u>ltem</u>	Location	Measurement	<u>Comments</u>
Gatorade	2 door reach in cooler	40.00 Fahrenheit	
Warm water	Handwash sink	100.00 Fahrenheit	
Hot water	3-comp sink	120.00 Fahrenheit	

## **Overall Comments:**

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than <u>9/30/2021</u>. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

#### Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By:

Signed On:

Principal's Secretary September 16, 2021

Linda Harvey