

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0201438 - LHCF - SAINT LOUISE REGIONAL HOSPITAL		Site Address 9400 NO NAME UNO, GILROY, CA 95020		Inspection Date 05/27/2025		Placard Color & Score GREEN 96		
Program PR0304372 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name SAINT LOUISE REGIONAL H		Inspection Time 12:00 - 13:15			
Inspected By GUILLERMO VAZQUEZ		Inspection Type ROUTINE INSPECTION		Consent By MICHELLE SALVADOR				FSC Michelle Salvador 4/9/27

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0201438 - LHCF - SAINT LOUISE REGIONAL HOSPITAL		Site Address 9400 NO NAME UNO, GILROY, CA 95020	Inspection Date 05/27/2025
Program PR0304372 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13		Owner Name SAINT LOUISE REGIONAL HOSPITAL	Inspection Time 12:00 - 13:15
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Unable to provide test strips for high temp dish washer at the time of inspection.

[CA] Testing equipment and materials shall be provided to adequately measure the applicable sanitation method used during manual or mechanical ware-washing.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Damaged floor tiles noted around the 3-compartment sink area.

[CA] Replace broken floor tiles with a smooth and of durable construction and nonabsorbent material that is easily cleanable.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Warm water	Hand wash/restroom	100.00 Fahrenheit	
Yogurt	Ice bath (self serve)	38.00 Fahrenheit	
Rice	Hot holding (steam table)	168.00 Fahrenheit	Back of house
Corn dogs	Hot holding (grab and go warmer)	145.00 Fahrenheit	
Milk	Walk in	38.00 Fahrenheit	
Raw steak	Walk in	39.00 Fahrenheit	
Cooked veggies	Hot holding (warmer)	155.00 Fahrenheit	
Cooked veggies	Hot holding (steam table)	161.00 Fahrenheit	Front of house
Sanitizer (High temp.)	Dish washer	160.00 Fahrenheit	
Turkey	Reach in	40.00 Fahrenheit	
Tomato soup	Under counter refrigeration	53.00 Fahrenheit	Cooling for about 1-hour
Tuna sandwich	Reach in #2	39.00 Fahrenheit	
Ambient	Reach in freezers (3x)	5.00 Fahrenheit	
Hot water	3-Compartment/prep/mop sinks	120.00 Fahrenheit	
Cooked chicken	Hot holding (steam table)	163.00 Fahrenheit	Front of house
Sanitizer (Quats)	Sanitizer bucket	200.00 PPM	
Cut tomato	Ice bath (self serve)	39.00 Fahrenheit	
Ambient	Walk in freezer	5.00 Fahrenheit	
Pesto sandwich	Reach in #2	39.00 Fahrenheit	
Cooked chicken	Hot holding (steam table)	166.00 Fahrenheit	Back of house

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/10/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0201438 - LHCF - SAINT LOUISE REGIONAL HOSPITAL	Site Address 9400 NO NAME UNO, GILROY, CA 95020	Inspection Date 05/27/2025
Program PR0304372 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name SAINT LOUISE REGIONAL HOSPITAL	Inspection Time 12:00 - 13:15

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Michelle Salvador
Director of Nutrition

Signed On: May 27, 2025