County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org

K47 Signs posted; last inspection report available



		OF	FICIAL INSPECT	ΓΙΟΝ REPO	RT						
Facility EA0204837 HOREE'S DALO ALTO		Site Address				Inspection Date 12/30/2024		Placard Color & Score			
FA0204837 - HOBEE'S PALO ALTO Program			4224 LL CAIVIINO IX	4224 EL CAMINO REAL, PALO ALTO, CA 94306 Owner Name			Inspection Time		GREEN		N
PR0300360 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14 CHIJATE F			CHIJATE FOOD		10:40	10:40 - 11:50					
		ection Type OUTINE INSPECTION	Consent By ALEX		uan Zaragoza 1/31/2028			⅃℄		94	
R	ISK FACTORS AND INTE	RVENTIONS			IN		UT Minor	COS/SA	N/O	N/A	PBI
K01	Demonstration of knowledge	; food safety certification	n		Х						
K02	Communicable disease; repo	orting/restriction/exclusion	on		Х						S
K03	No discharge from eyes, nos	se, mouth			Х						S
K04	Proper eating, tasting, drinkii	ng, tobacco use			Х						
K05	Hands clean, properly washe	ed; gloves used properly	1		Х						
K06	Adequate handwash facilities	s supplied, accessible			Х						
K07	Proper hot and cold holding	temperatures			Х						
K08	Time as a public health contr	rol; procedures & record	ls						Х		
	Proper cooling methods								Х		
K10	Proper cooking time & temper	eratures							Х		
K11	Proper reheating procedures	for hot holding							Х		
K12	Returned and reservice of fo	od			Х						
K13	Food in good condition, safe	, unadulterated			Х						
K14	Food contact surfaces clean	, sanitized			Х						
K15	Food obtained from approve	d source			Х						
K16	Compliance with shell stock	tags, condition, display								Х	
K17	Compliance with Gulf Oyster	Regulations								Х	
K18	Compliance with variance/R0	OP/HACCP Plan								Х	
K19	Consumer advisory for raw of	or undercooked foods								X	
K20	Licensed health care facilitie	s/schools: prohibited for	ods not being offered							Х	
K21	Hot and cold water available				Х						
K22	Sewage and wastewater pro	perly disposed			Х						
K23	No rodents, insects, birds, or	r animals			Х						
G	OOD RETAIL PRACTICES	3								OUT	cos
K24	Person in charge present and	d performing duties									
K25	25 Proper personal cleanliness and hair restraints										
K26	Approved thawing methods used; frozen food										
K27	7 Food separated and protected										
K28	88 Fruits and vegetables washed										
K29	9 Toxic substances properly identified, stored, used										
K30	Food storage: food storage containers identified										
K31	Consumer self service does prevent contamination										
K32	Food properly labeled and honestly presented										
K33	Nonfood contact surfaces cle	ean									
K34	Warewash facilities: installed	l/maintained; test strips									
K35	Equipment, utensils: Approve	ed, in good repair, adeq	uate capacity							Х	
	Equipment, utensils, linens: Proper storage and use					Χ	Х				
	Vending machines										
K38	Adequate ventilation/lighting;	; designated areas, use									
	Thermometers provided, acc										
	Wiping cloths: properly used										
	Plumbing approved, installed										
	Garbage & refuse properly d										
	Toilet facilities: properly constructed, supplied, cleaned										
	Premises clean, in good repa		storage; Adequate vermin	-proofing							
_	Floor, walls, ceilings: built,ma									Х	
	No unapproved private home		3								
K47	Signs posted: last inspection	roport available									i .

R202 DAOKNZ2WD Ver. 2.39.7

OFFICIAL INSPECTION REPORT

	Site Address 4224 EL CAMINO REAL, PALO ALTO, CA 94306			Inspection Date 12/30/2024		
Program PR0300360 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3		Owner Name CHIJATE FOODS SERVICES, INC.		Time 11:50		
K48 Plan review						
K49 Permits available						
K58 Placard properly displayed/posted						

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

- 1. Observed cracks at the pre-wash sink at the dishwasher area causing water to leak to the bottom. [Corrective Action] Repair or replace the pre-wash sink.
- 2. Observed interior metal lining in the 3 door prep cooler separating from the insulation causing food and debris to become stuck in the crevice.

[Corrective Action] Repair the metal lining inside the 3 door prep cooler. The 3 door prep cooler may need to be replaced.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185, 114185.3, 114185.4, 114185.5

Inspector Observations:

Pressurized cylinder at the service area observed not secured to a rigid structure.

[Corrective Action] Secure the pressurized cylinder to a rigid structure.

[Corrected on Site] PIC secured the pressurized cylinder.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations:

1. Observed broken wall and missing cove base at the back door by the cookline.

[Corrective Action] Maintain the wall in good condition.

2. Oil, grease and old food debris observed on the wall and pipes behind the cooking equipments at the cookline. [Corrective Action] Thoroughly clean and maintain clean.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

<u>ltem</u>	<u>Location</u>	Measurement	Comments
pooled eggs, ham	3 door prep cooler	38.00 Fahrenheit	
sauce	hot holding unit	144.00 Fahrenheit	
chlorine sanitizer	dishwasher	50.00 PPM	
sliced tomatoes	cold prep top	37.00 Fahrenheit	
milk	2 sliding door upright cooler	37.00 Fahrenheit	
cheese, pasta raw shell eggs	walk-in cooler	35.00 Fahrenheit	
hot water	2 compartment sink	120.00 Fahrenheit	
hot water	handwash sink	104.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0204837 - HOBEE'S PALO ALTO	Site Address 4224 EL CAMINO REA	Inspection Date 12/30/2024	
Program PR0300360 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC		Owner Name CHIJATE FOODS SERVICES, INC.	Inspection Time 10:40 - 11:50

Legend:

[CA] Corrective Action
[COS] Corrected on Site
[N] Needs Improvement
[NA] Not Applicable

[NO] Not Observed

[PBI] Performance-based Inspection[PHF] Potentially Hazardous Food

[PIC] Person in Charge[PPM] Part per Million[S] Satisfactory[SA] Suitable Alternative

[TPHC] Time as a Public Health Control

Received By: Alex Tafolla

Assistant Manager

Signed On: December 30, 2024