

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0230533 - ANNE DARLING ELEMENTARY SCHOOL		Site Address 333 N 33RD ST, SAN JOSE, CA 95133		Inspection Date 09/08/2026		Placard Color & Score GREEN 95		
Program PR0330575 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22			Owner Name SAN JOSE UNIFIED SCHOOL		Inspection Time 11:05 - 12:15			
Inspected By ALEXANDER ALFARO		Inspection Type ROUTINE INSPECTION		Consent By CHRISTINA - OFFICE/ARLENE - KITCHEN				FSC Arlene Chavira 10/12/2029

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized			X	X			
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0230533 - ANNE DARLING ELEMENTARY SCHOOL	Site Address 333 N 33RD ST, SAN JOSE, CA 95133	Inspection Date 09/08/2026
Program PR0330575 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22	Owner Name SAN JOSE UNIFIED SCHOOL DIST	Inspection Time 11:05 - 12:15
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations:

Sink and Surface sanitizer (Lactic Acid based) was found measuring below required concentration of 272-700 PPM.

[CA] Ensure sanitizer solution used following manufacturers specifications.

[SA] Facility to use the quaternary ammonia based sanitizer solution which measured at 200 PPM.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations:

Testing materials for Quaternary Ammonia based sanitizer solution are expired since 2023.

[CA] Testing equipment and materials shall be provided to adequately measure the applicable sanitization method used during manual or mechanical warewashing.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Pizza	Reheat Temp	145.00 Fahrenheit	Placed back in to finish reheat to 165F
Lactic Acid - Sanitizer	Three Compartment Sink	170.00 PPM	Used facility's test strips
Pizza	Upright Cooler	40.00 Fahrenheit	
Milk	Milk Cooler	39.00 Fahrenheit	
Water	Three Compartment Sink	130.00 Fahrenheit	
Enchirito	Hot Hold box	145.00 Fahrenheit	
Milk	Cold Hold Box	40.00 Fahrenheit	
Enchirrito	Reheat Temp	156.00 Fahrenheit	Placed back in to finish reheat to 165F
Water	Handwash Sink	100.00 Fahrenheit	
Quaternary Ammonia - Sanitizer	Three Compartment Sink	200.00 PPM	

Overall Comments:

Notes:

- Reviewed HACCP plan manual. Facility is not record keeping hot holding equipment measurements and sanitizer test strip logs. PIC seemed to be lacking knowledge on HACCP requirements.

- Food is provided by SJUSD central kitchen.

- Facility has a share table. Fruits are washed and placed in plastic bags to prevent contamination.

OFFICIAL INSPECTION REPORT

Facility FA0230533 - ANNE DARLING ELEMENTARY SCHOOL	Site Address 333 N 33RD ST, SAN JOSE, CA 95133	Inspection Date 09/08/2026
Program PR0330575 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22	Owner Name SAN JOSE UNIFIED SCHOOL DIST	Inspection Time 11:05 - 12:15

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/22/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Arlene Chavira
Student Nutrition Lead

Signed On: September 08, 2026