

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0208597 - EL RESTAURANTE EL CONRRO	Site Address 301 E SANTA CLARA ST B, SAN JOSE, CA 95113	Inspection Date 08/08/2026
Program PR0304962 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name RESTAURANTE EL CONRRO	Inspection Time 16:40 - 17:40
Inspected By RAYMOND CHUNG	Inspection Type FOLLOW-UP INSPECTION	Consent By CONRRADO BAUTISTA

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

N/A

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

Health permit was suspended on 08/07/2026 due to rodent droppings found in this facility . A follow-up inspection was conducted today.

Ecoguard Pest Management conducted inspection of this facility on 08/07/2026 and did not observe signs of rodents.

Facility appeared to have been cleaned. Plates and cooking utensils were all moved into the dining room. Refrigerators were pulled out for cleaning around the back. Per owner, rodent droppings were removed and surfaces were sanitized.

No rodents or rodent droppings were observed at time of this inspection. Sticky traps were placed around this facility and all were found to be clear.

Observed opening next to electrical outlet (next to kitchen window) was sealed with wire mesh.

Opening in the exterior wall (facing parking lot) was sealed.

Opened bags of bulk dry ingredients were observed. Employee transferred the product to a hard container with lid.

Health permit to be reinstated and facility is okay to operate.

Per owner, this facility is serviced by Ecoguard Pest Management twice a month. If there are any signs of rodents, call pest control company immediately.

Prior to reopening, ensure all plates and cooking utensils are cleaned and sanitized. Bottle of Chlorox was available.

Leak was observed under the 3-compartment sink. Repair the leak to eliminate water source.

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/22/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0208597 - EL RESTAURANTE EL CONRRO	Site Address 301 E SANTA CLARA ST B, SAN JOSE, CA 95113	Inspection Date 08/08/2026
Program PR0304962 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name RESTAURANTE EL CONRRO, INC.	Inspection Time 16:40 - 17:40

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Conrado Bautista

Owner

Signed On: August 08, 2026