

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0269691 - NAMASTE PLAZA		Site Address 1637 HOLLENBECK AV, SUNNYVALE, CA 94087		Inspection Date 05/28/2026		Placard Color & Score YELLOW 76		
Program PR0401352 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name SRI KRSNA LLC		Inspection Time 15:00 - 16:15			
Inspected By KAYA ALASSFAR		Inspection Type ROUTINE INSPECTION		Consent By JINITA				FSC Exempt

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification						X	
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible		X					
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food						X	
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized						X	
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals		X					

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean	X	
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean	X	
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0269691 - NAMASTE PLAZA	Site Address 1637 HOLLENBECK AV, SUNNYVALE, CA 94087	Inspection Date 05/28/2026
Program PR0401352 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name SRI KRSNA LLC	Inspection Time 15:00 - 16:15
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Hand sink near the food prep sink lacks soap and paper towels.

[CA] Handwashing facilities shall be equipped with handwashing cleanser and single-use sanitary towels in dispensers.

Follow-up By
06/01/2026

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: Dead cockroaches in glue board in the following areas:

under 2 door freezer next to the walk-in

under shelves next to cleaning equipment

[CA] Clean and sanitize all areas with dead cockroaches. Increase the frequency of licensed pest control service as needed. Implement exclusion measures by sealing openings, gaps, and crevices. Maintain the facility in a clean condition, store food properly, eliminate clutter, and remove potential harborage areas.

Follow-up By
06/01/2026

Minor Violations

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Food boxes stored directly on floor in the walk in, in dry storage area and at front.

[CA] Food shall be stored at least 6 inches above the floor to prevent contamination.

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations: Accumulation of debris inside display coolers.

[CA] Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Heavily scratched cutting board in produce cutting area.

[CA] Surfaces of equipment such as cutting blocks and boards that are scratched and scored so that they can no longer be effectively cleaned and sanitized shall be resurfaced or replaced.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Accumulation of debris on floor and staining on walls in the dry storage room.

[CA] Walls and floors in food preparation area shall be kept clean.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
ice cream	disolay freezeer	-6.00 Fahrenheit	
milk,yogurt	display cooler	39.00 Fahrenheit	
milk,yogurt, mango lassi	walk-in	40.00 Fahrenheit	
paneer	display cooler	40.00 Fahrenheit	
water	3-comp sink	120.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0269691 - NAMASTE PLAZA	Site Address 1637 HOLLENBECK AV, SUNNYVALE, CA 94087	Inspection Date 05/28/2026
Program PR0401352 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name SRI KRSNA LLC	Inspection Time 15:00 - 16:15

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/11/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: JINITA
CASHIER
Signed On: May 28, 2026