## **County of Santa Clara**

## **Department of Environmental Health**

#### **Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org



# **OFFICIAL INSPECTION REPORT**

		Site Address 2980 E CAPITOL EX 10, SAN JOSE, CA 95148		Inspection Date 11/14/2024	Placard Color & Score	
Program PR0371754 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name PANDA EXPRESS GROUP IN	Inspection Time 11:20 - 11:55	RED	
Inspected By MAMAYE KEBEDE	Inspection Type LIMITED INSPECTION	Consent By VAN LA			N/A	

## **Comments and Observations**

#### **Major Violations**

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: Several live and dead cockroaches were observed on the floor below the cook line and on the wall behind the cook-line.

[CA] Therefore, the facility is closed until a pest control company conducted an intervention, eliminate any insects from the facility, and sanitize the food contact area after. Conduct a thorough intervention and cleaning and contact the district inspector for a follow-up inspection. After hour or weekend follow-up inspection will only be conducted at a charge of \$645.00/hour re-inspection fee. Suzanne Lew, Supervising Registered Environmental Health Specialist approved the closure.

#### **Minor Violations**

No minor violations were observed during this inspection.

#### **Performance-Based Inspection Questions**

N/A

#### **Measured Observations**

N/A

### **Overall Comments:**

Note: This limited inspection is conducted for an insect complained to reported to our office on 11/06/24. During the time of this inspection, several live and dead cockroaches were observed on the floor and wall of the cook line. Therefore, the facility shall be closed until all the live and dead cockroaches are eliminated from the facility.

# **CLOSURE / PERMIT SUSPENSION NOTICE**

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than <u>11/28/2024</u>. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.



# **OFFICIAL INSPECTION REPORT**

		Site Address 2980 E CAPITOL EX 10, SAN JOSE, CA 95148		Inspection Date 11/14/2024	
			Owner Name   3 PANDA EXPRESS GROUP INC		
egend	<u>1:</u>		_		
A]	Corrective Action				
OS]	Corrected on Site				
]	Needs Improvement			-	
A]	Not Applicable				
<b>o</b> ]	Not Observed	Received By:	Van La		
BI]	Performance-based Inspection		Shift Leader		
HF]	Potentially Hazardous Food	Signed On:	November 14, 2024		
IC]	Person in Charge	3			

[SA]Suitable Alternative[TPHC]Time as a Public Health Control

Part per Million

Satisfactory

[PPM]

[S]