# **County of Santa Clara**

## **Department of Environmental Health**

K40 Wiping cloths: properly used, stored

K45 Floor, walls, ceilings: built,maintained, clean

K41 Plumbing approved, installed, in good repair; proper backflow devices

K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing

K42 Garbage & refuse properly disposed; facilities maintained
 K43 Toilet facilities: properly constructed, supplied, cleaned

K46 No unapproved private home/living/sleeping quarters
 K47 Signs posted; last inspection report available

### **Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org



	OFF	ICIAL INSPE	CTION F	REPORT							
Facility		Site Address					Inspection Date 10/02/2023		Placard (	Color & Sco	ore
FA0252346 - TRUYA SUSHI Program		3255 S WHITE R	3255 S WHITE RD, SAN JOSE, CA 95148  Owner Name				on Time		GREEN		
	FOOD SVC OP 0-5 EMPLOYEES	RC 3 - FP11		SUSHI SJ INC			) - 14:30				•
Inspected By	Consent By	Consent By FSC HARL			RG			89			
MANDEEP JHAJJ	ROUTINE INSPECTION	VAN HUY NGU	JYEN	11/10/25				_  _			
RISK FACTORS AND	INTERVENTIONS				IN	Ol Major	UT Minor	COS/SA	N/O	N/A	PBI
	wledge; food safety certification				Χ						S
K02 Communicable diseas	se; reporting/restriction/exclusion				Χ						
K03 No discharge from eye					Х						
K04 Proper eating, tasting,	<u> </u>				Χ						
	washed; gloves used properly				Х						
-	acilities supplied, accessible				X						S
K07 Proper hot and cold ho					Х						S
	h control; procedures & records								Х		
K09 Proper cooling method									Х		
K10 Proper cooking time &	-				X						
K11 Proper reheating proc									Х		
K12 Returned and reservice									Х		
K13 Food in good condition					Χ						
K14 Food contact surfaces	-				Х						
K15 Food obtained from ap	•				Х						
	stock tags, condition, display									X	
K17 Compliance with Gulf										Х	
K18 Compliance with varia										Х	
	r raw or undercooked foods				Х						
K20 Licensed health care f	facilities/schools: prohibited foods	s not being offered								X	
K21 Hot and cold water av	ailable				Χ						
K22 Sewage and wastewa					Х						
K23 No rodents, insects, b	irds, or animals						Х				
GOOD RETAIL PRAC	TICES									OUT	cos
K24 Person in charge pres											
K25 Proper personal clean											
K26 Approved thawing met										Х	
K27 Food separated and p											
K28 Fruits and vegetables											
	erly identified, stored, used										
_	Food storage: food storage containers identified					Х					
	does prevent contamination										
K32 Food properly labeled											
	Nonfood contact surfaces clean					Χ					
Warewash facilities: installed/maintained; test strips											
	approved, in good repair, adequa	te capacity									
	Equipment, utensils, linens: Proper storage and use										
K37 Vending machines											
-	ghting; designated areas, use										
K39 Thermometers provide	ed, accurate										

Page 1 of 3

R202 DAP5TXI0I Ver. 2.39.7

Χ

### OFFICIAL INSPECTION REPORT

	Site Address 3255 S WHITE RD, SAN JOSE, CA 95148	Inspection Date 10/02/2023		
Program PR0376985 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3		Inspection Time 13:00 - 14:30		
K48 Plan review				
K49 Permits available				
K58 Placard properly displayed/posted				

#### **Comments and Observations**

#### **Major Violations**

No major violations were observed during this inspection.

#### **Minor Violations**

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: Fruit flies observed in the kitchen.

[CA] Food facility shall be kept free of non-disease carrying insects, weevils, ants, gnats, and fruit flies.

K26 - 2 Points - Unapproved thawing methods used; frozen food; 114018, 114020, 114020.1

Inspector Observations: Frozen fish measured at 34F left for defrosting in prep area in front.

[CA] Frozen potentially hazardous food shall only be thawed in one of the following ways: 1) under refrigeration that maintains the food temperature at 41°F or below, 2) completely submerged under potable running water for a period not to exceed two hours at a water temperature of 70°F or below, and with sufficient water velocity to agitate and flush off loose particles into the sink drain, 3) in a microwave oven if immediately followed by immediate preparation, 4) as part of a cooking process.

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Observed food containers on floor in walk-in cooler. [CA] Food shall be stored at least 6 inches above the floor to prevent contamination.

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations: Old food debris build up on the lower shelf/floor in reach-in freezer.

[CA] Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Observed food debris on the floor around water heater area. [CA] Walls and/or floors in kitchen shall be kept clean.

## **Performance-Based Inspection Questions**

All responses to PBI questions were satisfactory.

## **Measured Observations**

<u>Item</u>	Location	Measurement	Comments
RAW EGGS	WALK-IN COOLER	40.00 Fahrenheit	
CHLORINE	DISHWASHER	50.00 PPM	
CHICKEN	PREP UNIT	40.00 Fahrenheit	
RAW SALMON	FRONT SUSHI COOLER	40.00 Fahrenheit	
RICE	WARMER	139.00 Fahrenheit	
TOFU	WALK-IN COOLER	39.00 Fahrenheit	
SALMON	AFTER COOKING ON GRILL	156.00 Fahrenheit	
SHRIMP	PREP UNIT	40.00 Fahrenheit	
WARM WATER	HAND SINK	100.00 Fahrenheit	
HOT WATER	3 COMP SINK	120.00 Fahrenheit	
SLICED TOMATO	PREP UNIT	40.00 Fahrenheit	

#### **Overall Comments:**

## OFFICIAL INSPECTION REPORT

Facility	Site Address	Inspection Date	
FA0252346 - TRUYA SUSHI	3255 S WHITE RD, SA	10/02/2023	
Program PR0376985 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3		Owner Name TRUYA SUSHI SJ INC	Inspection Time 13:00 - 14:30

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than <a href="https://doi.org/10.1016/2023/">doi.org/10.1016/2023</a>. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

#### Legend:

[CA] Corrective Action
[COS] Corrected on Site
[N] Needs Improvement
[NA] Not Applicable

[NO] Not Observed[PBI] Performance-based Inspection

[PHF] Potentially Hazardous Food

[PIC] Person in Charge[PPM] Part per Million[S] Satisfactory[SA] Suitable Alternative

[TPHC] Time as a Public Health Control

Received By: VAN HUY NGUYEN

MANAGER

Signed On: October 02, 2023