

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0209517 - DAWAT INDIAN CUISINE		Site Address 4472 PEARL AV, SAN JOSE, CA 95136		Inspection Date 07/17/2025	
Program PR0307546 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name HARNEK SINGH		Inspection Time 12:15 - 13:30
Inspected By JENNIFER RIOS	Inspection Type ROUTINE INSPECTION		Consent By MANPREET SINGH	FSC Harnek Singh 07/31/2029	

Placard Color & Score
GREEN
81

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						S
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible	X						S
K07 Proper hot and cold holding temperatures			X				
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized			X				N
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available			X				
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented	X	
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips	X	
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use	X	
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0209517 - DAWAT INDIAN CUISINE	Site Address 4472 PEARL AV, SAN JOSE, CA 95136	Inspection Date 07/17/2025
Program PR0307546 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name HARNEK SINGH	Inspection Time 12:15 - 13:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Several items in under counter unit measured in the temperature danger zone. Ambient air of the unit measured 46F. Per PIC, items were made fresh this morning (less than 4 hours) and placed in unit. [CA] PHFs shall be held at 41°F or below or at 135°F or above.

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Chlorine measured 200ppm at three compartment sink. [CA] Manual sanitization shall be accomplished in the final sanitizing rinse by contacting a chlorine solution of 100 PPM concentration for at least 30 seconds or by contacting a quaternary ammonium solution of 200 PPM concentration for at least 60 seconds.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Warm water in restroom measured 74F. [CA] Handwashing facilities shall be equipped to provide minimum 100°F water under pressure for a minimum of 15 seconds.

K32 - 2 Points - Food improperly labeled & not honestly presented: 114087, 114089, 114089.1(a, b), 114090, 114093.1

Inspector Observations: Labels on food items for sale have the facility that they are made in, the address, name and phone number only. [CA] Food prepackaged in a food facility shall bear a label with the following:

- 1) common name of the food,
- 2) list of ingredients in descending order of predominance by weight,
- 3) quantity of contents,
- 4) name and place of business of the manufacturer, packer, or distributor.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Chlorine test strips were not available at time of inspection. [CA] Testing equipment and materials shall be provided to adequately measure the applicable sanitization method used during manual or mechanical warewashing.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Under counter cold holding unit measured 46F after allowing to stay closed for 20 minutes. PHF inside unit measured in the temperature danger zone. [CA] Refrigeration must be capable of maintaining PHFs at 41°F or below.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: Observed bowl used as scoop in bulk food containers. [CA] Provide scoop with handle and store scoop handle in such a way that the handle does not come in direct contact with food to prevent contamination.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Observed employee cup without lid stored on food preparation surface. [CA] Store employee drinks in designated areas to prevent contamination.

OFFICIAL INSPECTION REPORT

Facility FA0209517 - DAWAT INDIAN CUISINE	Site Address 4472 PEARL AV, SAN JOSE, CA 95136	Inspection Date 07/17/2025
Program PR0307546 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name HARNEK SINGH	Inspection Time 12:15 - 13:30

Performance-Based Inspection Questions

Needs Improvement - Food contact surfaces clean, sanitized.

Measured Observations

Item	Location	Measurement	Comments
Cheese	Under counter reach in	49.00 Fahrenheit	
Warm water	Handwash	100.00 Fahrenheit	
Chlorine	Three compartment sink	200.00 PPM	
Mango lassi	Cold holding reach in	39.00 Fahrenheit	
Chicken	Cold holding insert	41.00 Fahrenheit	
Paneer	Walk in fridge	38.00 Fahrenheit	
Chicken	Walk in fridge	40.00 Fahrenheit	
Paneer	Cold holding insert	46.00 Fahrenheit	Cooling from prep
Warm water	Restroom handwash	74.00 Fahrenheit	
Rice	Hot holding	155.00 Fahrenheit	
Curry	Just cooked	184.00 Fahrenheit	
Chicken	Walk in fridge	41.00 Fahrenheit	
Masala	Under counter reach in	41.00 Fahrenheit	
Yogurt mix	Under counter reach in	46.00 Fahrenheit	
Hot water	Three compartment sink	120.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/31/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Manpreet Singh

Signed On: July 17, 2025