

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0204501 - ODORI SUSHI & TEPPANYAKI		Site Address 2111 EL CAMINO REAL, PALO ALTO, CA 94306		Inspection Date 11/07/2023		Placard Color & Score <div style="background-color: green; color: white; padding: 10px; text-align: center;"> GREEN 89 </div>		
Program PR0301585 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name ODORI SUSHI & TEPPANYAK		Inspection Time 13:00 - 14:25			
Inspected By OBBY SHEHADEH		Inspection Type ROUTINE INSPECTION		Consent By DAVID				FSC Yanyuan Chen 05/31/2024

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						S
K04	Proper eating, tasting, drinking, tobacco use	X						S
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						S
K08	Time as a public health control; procedures & records	X						
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized			X				N
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods	X						
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available		X		X			
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0204501 - ODORI SUSHI & TEPPANYAKI	Site Address 2111 EL CAMINO REAL, PALO ALTO, CA 94306	Inspection Date 11/07/2023
Program PR0301585 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name ODORI SUSHI & TEPPANYAKE INC	Inspection Time 13:00 - 14:25
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water measured at 94 degrees F.

[COS] Water heater reset by PIC. Remeasured hot water at 120 degrees F.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

Minor Violations

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: 1) Measured chlorine sanitizer in dishwasher at 25ppm.

[CA] Maintain chlorine in mechanical warewash machine at 50 PPM.

2) Measured quat sanitizer in 3-compartment sink at 100ppm.

[CA] Maintain chemical solution for manual warewashing at 100 ppm (1Tbs of bleach (5.25%)/gal of water) for chlorine and 200 ppm (1 tbs of quaternary ammonium (10%)/2 gal of water) for quaternary ammonium.

Performance-Based Inspection Questions

Needs Improvement - Food contact surfaces clean, sanitized.

Measured Observations

Item	Location	Measurement	Comments
warm water	handwash sink	100.00 Fahrenheit	
raw fish	undercounter refrigerator	40.00 Fahrenheit	
chlorine sanitizer	dishwasher	25.00 PPM	
quat sanitizer	3-compartment sink	100.00 PPM	
hot water	3-compartment sink	94.00 Fahrenheit	re-measured at 120 degrees F.
tofu, raw meat	single-door refrigerator	40.00 Fahrenheit	
raw meats	2-door freezer	1.00 Fahrenheit	
raw chicken	food prep refrigerator	41.00 Fahrenheit	
fried shrimp	fryer	178.00 Fahrenheit	
salmon	sushi prep unit	39.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/21/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0204501 - ODORI SUSHI & TEPPANYAKI	Site Address 2111 EL CAMINO REAL, PALO ALTO, CA 94306	Inspection Date 11/07/2023
Program PR0301585 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name ODORI SUSHI & TEPPANYAKE INC	Inspection Time 13:00 - 14:25

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: David
PIC
Signed On: November 07, 2023