

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0258188 - ST-RAY'S		Site Address 750 ESCONDIDO RD, STANFORD, CA 94305	Inspection Date 12/07/2022
Program PR0377968 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name KLEIN, RAYMOND	Inspection Time 15:15 - 15:45
Inspected By DENNIS LY	Inspection Type FOLLOW-UP INSPECTION	Consent By LORENA	

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

Cited On: 12/07/2022

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

Compliance of this violation has been verified on: 12/07/2022

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

Follow-up inspection for facility closed due to wastewater back up.

Drain has been cleared and wastewater back up has been stopped. No back up was observed after running the three compartment sink and handwash sink in the kitchen for 3-5 minutes.

Operator shall clean and sanitize around the affected area.

Per maintenance, the pipe under that floor sink is corroded and will need to be changed out. The work has been scheduled for Dec 19th when the facility is closed during Winter Break.

Until the repair is completed, facility will stop using equipment that was draining into that floor sink (soda machine, and handwash sink behind the front counter). A portable handwash station will be set up at the front counter until repairs are complete.

A follow-up inspection is scheduled for January 3rd 2023.

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/21/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: Lorena
 Manager
 Signed On: December 07, 2022