

# County of Santa Clara

## Department of Environmental Health

### Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

Facility FA0280166 - WOW TEA DRINK	Site Address 19505 STEVENS CREEK BL 102, CUPERTINO, CA 9	Inspection Date 09/09/2024
Program PR0421942 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name WOW TEA DRINK LLC	Inspection Time 12:10 - 12:40
Inspected By DENNIS LY	Inspection Type FOLLOW-UP INSPECTION	Consent By VINCENT

Placard Color & Score <b>GREEN</b> <b>N/A</b>
---

### Comments and Observations

#### Major Violations

Cited On: 09/04/2024

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

**This violation found not in compliance on 09/09/2024. See details below.**

Cited On: 09/09/2024

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

**Inspector Observations: The only handwash sink in the front counter was not accessible due to being obstructed by food prep unit. As a temporary suitable alternative, facility designated one of the dump sinks at the front counter as the handwash sink by adding a soap dispenser but did not have single-use paper towels available. [CA] All handwash sinks shall be able to provide warm water, soap, and single-use paper towels for employees to properly wash their hands.**

**[SA] Employee added a roll of paper towels at the designated handwash sink.**

Cited On: 09/04/2024

K08 - 8 Points - Improperly using time as a public health control procedures & records; 114000

**Compliance of this violation has been verified on: 09/09/2024**

#### Minor Violations

N/A

#### Measured Observations

N/A

#### Overall Comments:

**Follow-up for routine inspection conducted on 9/4/24.**

**- Major violation for Time as a Public Health Control was verified to still be in compliance. The boba was properly time-marked with the start time.**

**- The major violation for handwash sink was observed to still be out of compliance. The only handwash sink at the front counter was not accessible due to being obstructed by food prep unit. As a temporary suitable alternative, facility designated one of the dump sinks at the front counter as the handwash sink by adding a soap dispenser but did not have single-use paper towels available.**

**- Reminded PIC that they are required to either remove or submit the new espresso machines to this department's plan check for review by 10/1/24. Failure to comply will result in enforcement action.**

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/23/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0280166 - WOW TEA DRINK	<b>Site Address</b> 19505 STEVENS CREEK BL 102, CUPERTINO, CA 95014	<b>Inspection Date</b> 09/09/2024
<b>Program</b> PR0421942 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	<b>Owner Name</b> WOW TEA DRINK LLC	<b>Inspection Time</b> 12:10 - 12:40

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



---

**Received By:** Vincent Zeng  
PIC

**Signed On:** September 09, 2024