County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org

K47 Signs posted; last inspection report available



OFFICIAL INSPECTION REPORT										
	Facility Site Address 201 CASTRO ST MOUNTAIN VIEW CA 9/10/1				Inspection Date 02/02/2023		Placard Color & Score		ore	
	FA0203689 - RED ROCK COFFEE 201 CASTRO ST, MOUNTAIN VIEW, CA 9404 Program Owner Name					Inspection Time		GF	GREEN	
	PR0304691 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10 RED ROCK COFFEE			OCK COFFEE IN		16:00 - 16:45				
	ected By IA STIEHR INSPECTION ROUTINE INSPECTION	Consent By CRISTINA NUNE	-s	FSC Not Availa	ıble				97	
=	<u>'</u>				INI	ОИТ		(0.4 N/C	N/A	DDI
	ISK FACTORS AND INTERVENTIONS				IN	OUT Major	Minor COS	/SA N/C	N/A	PBI N
	Demonstration of knowledge; food safety certification Communicable disease; reporting/restriction/exclusion				X		^			S
	<u> </u>				X					3
	No discharge from eyes, nose, mouth				X					
	Proper eating, tasting, drinking, tobacco use Hands clean, properly washed; gloves used properly				X					
	Adequate handwash facilities supplied, accessible				X					S
	Proper hot and cold holding temperatures				X					S
	Time as a public health control; procedures & records								X	
	Proper cooling methods								X	
	Proper cooking time & temperatures								X	
	Proper reheating procedures for hot holding							X		
	Returned and reservice of food				Х					
K13	Food in good condition, safe, unadulterated				Х					
K14	Food contact surfaces clean, sanitized				Х					S
K15	Food obtained from approved source				Χ					
K16	Compliance with shell stock tags, condition, display								Х	
K17	Compliance with Gulf Oyster Regulations								Х	
	Compliance with variance/ROP/HACCP Plan								X	
	Consumer advisory for raw or undercooked foods								X	
K20	Licensed health care facilities/schools: prohibited foods no	ot being offered							X	
	Hot and cold water available				Х					
K22	Sewage and wastewater properly disposed				Х					
K23	No rodents, insects, birds, or animals X									
G	OOD RETAIL PRACTICES								OUT	cos
K24	Person in charge present and performing duties									
K25	5 Proper personal cleanliness and hair restraints									
K26	Approved thawing methods used; frozen food									
	Food separated and protected									
	Fruits and vegetables washed									
_	Toxic substances properly identified, stored, used									
	Food storage: food storage containers identified									
	Consumer self service does prevent contamination									
	Food properly labeled and honestly presented									
	Nonfood contact surfaces clean							_		
	Warewash facilities: installed/maintained; test strips									
	Equipment, utensils: Approved, in good repair, adequate capacity									
	Equipment, utensils, linens: Proper storage and use									
_	7 Vending machines							_		
	Adequate ventilation/lighting; designated areas, use Thermometers provided, accurate									
	Wiping cloths: properly used, stored									
	Plumbing approved, installed, in good repair; proper backflow devices									
	2 Garbage & refuse properly disposed; facilities maintained									
	3 Toilet facilities: properly constructed, supplied, cleaned									
_	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing									
	Floor, walls, ceilings: built,maintained, clean									
_	No unapproved private home/living/sleeping quarters									
	Signs posted: last inspection report available									

Page 1 of 2

R202 DAPR8R6IL Ver. 2.39.7

OFFICIAL INSPECTION REPORT

Facility FA0203689 - RED ROCK COFFEE	Site Address 201 CASTRO ST, MOUNTAIN VIEW, CA 94041	Inspection Date 02/02/2023			
Program PR0304691 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2	Owner Name 2 - FP10 RED ROCK COFFEE INC.	Inspection 16:00 - 1			
K48 Plan review					
K49 Permits available					
K58 Placard properly displayed/posted					

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: Food Safety Certificate has expired. Owner showed proof of enrollment and receipt for FSC class. [CA] Food facilities that prepare, handle, or serve non-prepackaged potentially hazard foods shall have a valid Food Safety Certificate available for review at all times.

Performance-Based Inspection Questions

Needs Improvement - Demonstration of knowledge; food manager certification.

Measured Observations

<u>Item</u>	Location	Measurement	Comments
chlorine	warewash machine	50.00 PPM	
milk	reach-in refrigerator	35.00 Fahrenheit	35F-38F
lemon bar	low boy refrigerator	40.00 Fahrenheit	
milk	reach-in	35.00 Fahrenheit	
hot water	3 comp sink	120.00 Fahrenheit	
string cheese	grab n go refrigerator	35.00 Fahrenheit	
cheesecake	display case	32.00 Fahrenheit	
cheese cake	reach-in freezer	-4.00 Fahrenheit	
hot water	handwash sink	100.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 2/16/2023. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

 [CA]
 Corrective Action

 [COS]
 Corrected on Site

 [N]
 Needs Improvement

 [NA]
 Not Applicable

 [NO]
 Not Observed

[PBI] Performance-based Inspection[PHF] Potentially Hazardous Food

 [PIC]
 Person in Charge

 [PPM]
 Part per Million

 [S]
 Satisfactory

 [SA]
 Suitable Alternative

[TPHC] Time as a Public Health Control

Ole

Received By: Jean Boulanger
General Manager

Signed On: February 02, 2023

R202 DAPR8R6IL Ver. 2.39.7

Page 2 of 2