

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0261501 - NEW YORK NEW YORK		Site Address 125 UNIVERSITY AV, PALO ALTO, CA 94301		Inspection Date 08/05/2025		Placard Color & Score GREEN 89		
Program PR0383474 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name TOTA, JIMMY		Inspection Time 10:00 - 11:30			
Inspected By TRAVIS KETCHU		Inspection Type ROUTINE INSPECTION		Consent By JAMIL TOTA				FSC Not Available

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification			X				
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean	X	
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use	X	
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0261501 - NEW YORK NEW YORK	Site Address 125 UNIVERSITY AV, PALO ALTO, CA 94301	Inspection Date 08/05/2025
Program PR0383474 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name TOTAH, JIMMY	Inspection Time 10:00 - 11:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: Food safety certificate has expired.

[CA] Food facilities that prepare, handle, or serve non-prepackaged potentially hazard foods shall have a valid Food Safety Certificate available for review at all times.

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Bulk condiment containers stored directly within the janitorial sink.

[CA] Discontinue the storage of food within the janitorial sink. Store food in approved areas.

Drinks stored directly under the three compartment sink.

[CA] Food shall be stored at least 6 inches above the floor to prevent contamination.

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations: The walls, floors and surfaces of equipment have a build-up of grease and food debris.

[CA] Nonfood-contact surfaces shall be kept free of an accumulation of dust, dirt, food residue, and other debris.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: The food preparation sink was obstructed from use by the storage of a counter top induction burner. [CA] The food prep sink shall be accessible and/or unobstructed at all times.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: Observed four unventilated pieces of equipment (two electric infrared burners, one Turbo fan and one toaster oven). Observed the build-up of grease and materials on the walls behind the electric infrared burners. Equipment not in use at the time of inspection.

[CA] Provide approved exhaust hood ventilation over all cooking equipment as required to effectively remove cooking odors, smoke, steam, grease, heat, and vapors. Limit unventilated cooking equipment to two pieces. A hood exemption statement from a mechanical engineer may be required.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
milk	2 door reach in fridge	38.00 Fahrenheit	
warm water	hand wash sink	100.00 Fahrenheit	
cooked chicken	2 door reach in fridge	40.00 Fahrenheit	
cream cheese	disply fridge	39.00 Fahrenheit	
hot water	3 comp sink	120.00 Fahrenheit	
sliced ham	prep fridge	37.00 Fahrenheit	
chlorine sanitizer	bowl	100.00 PPM	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0261501 - NEW YORK NEW YORK	Site Address 125 UNIVERSITY AV, PALO ALTO, CA 94301	Inspection Date 08/05/2025
Program PR0383474 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name TOTAH, JIMMY	Inspection Time 10:00 - 11:30

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/19/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: jamil totah
pic
Signed On: August 05, 2025