

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0240199 - PHO KHANG		Site Address 2207 TASMAN DR, SANTA CLARA, CA 95054	Inspection Date 07/29/2024
Program PR0340232 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name PHO KHANG CORPORATION	Inspection Time 13:50 - 15:00
Inspected By GLENCIJOY DAVID	Inspection Type FOLLOW-UP INSPECTION	Consent By BEA	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 07/23/2024

K05 - 8 Points - Hands not clean/improperly washed/gloves not used properly; 113952, 113953.3, 113953.4, 113961, 113968, 113973 (b-f)

This violation found not in compliance on 07/29/2024. See details below.

Cited On: 07/29/2024

K05 - 8 Points - Hands not clean/improperly washed/gloves not used properly; 113952, 113953.3, 113953.4, 113961, 113968, 113973 (b-f)

Inspector Observations:

REPEAT VIOLATION

One employee washed dishes and cleaned counter with gloves on. After cleaning, employee took one glove off and used other gloved hand to stir ladle of pho broth. [CA] Properly wash hands with soap, warm water and dry using single use paper towels as required. Gloves shall be properly used and changed when required. [COS] Employee was directed to remove both gloves when changing job tasks.

Cited On: 07/23/2024

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 07/29/2024

Minor Violations

Cited On: 07/23/2024

K49 - 2 Points - Permits not available; 114067(b,c), 114381(a), 114387

Compliance of this violation has been verified on: 07/29/2024

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
broth	walk in cooler	41.00 Fahrenheit	
tofu	walk in cooler	50.00 Fahrenheit	prep
broth	walk in cooler	40.00 Fahrenheit	
chlorine	warewash machine	50.00 PPM	
chicken	walk in cooler	57.00 Fahrenheit	cooling

Overall Comments:

Follow-up inspection for major violations

- Repeat handwashing violation
- Warewash machine was serviced - measured chlorine at 50 ppm in warewash machine

Spoke w/ owner regarding employee handwashing.

OFFICIAL INSPECTION REPORT

Facility FA0240199 - PHO KHANG	Site Address 2207 TASMAN DR, SANTA CLARA, CA 95054	Inspection Date 07/29/2024
Program PR0340232 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name PHO KHANG CORPORATION	Inspection Time 13:50 - 15:00

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/12/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Hien
PIC
Signed On: July 29, 2024