

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0261065 - TAQUERIA LA TAQUIZA	Site Address 1447 BIRD AV, SAN JOSE, CA 95125	Inspection Date 06/16/2026
Program PR0382755 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name HERNANDEZ, GALDINO	Inspection Time 14:55 - 15:30
Inspected By ANABELLE GARCIA	Inspection Type FOLLOW-UP INSPECTION	Consent By GABY SAN JUAN

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 05/26/2026

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Compliance of this violation has been verified on: 06/16/2026

Minor Violations

Cited On: 05/26/2026

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Compliance of this violation has been verified on: 06/16/2026

Cited On: 05/26/2026

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Compliance of this violation has been verified on: 06/16/2026

Measured Observations

Item	Location	Measurement	Comments
water	janitorial sink	137.00 Fahrenheit	
water	prep sink	135.00 Fahrenheit	
water	3 comp sink	135.00 Fahrenheit	
water	hand wash sinks	100.00 Fahrenheit	

Overall Comments:

Follow up inspection to the routine inspection conducted on 5/26/26.

Observations:

K21: Water temperature measured at a maximum of 137F throughout facility.

K39: Thermometers provided for refrigeration units. Metal probe thermometer provided to measure internal food temperatures.

K41: Drain pipe leak at prep area hand sink repaired. Faucet leak at front hand sink repaired. Sinks are draining properly.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/30/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0261065 - TAQUERIA LA TAQUIZA	Site Address 1447 BIRD AV, SAN JOSE, CA 95125	Inspection Date 06/16/2026
Program PR0382755 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name HERNANDEZ, GALDINO	Inspection Time 14:55 - 15:30

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Gaby San Juan
PIC

Signed On: June 16, 2026