

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0271461 - CRUST - SANTA CLARA		Site Address 2350 MISSION COLLEGE BL 365, SANTA CLARA, CA		Inspection Date 06/15/2026		Placard Color & Score GREEN 89		
Program PR0409966 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name CP RESTAURANT GROUP		Inspection Time 13:45 - 14:45			
Inspected By THAO HA		Inspection Type ROUTINE INSPECTION		Consent By KAIRA CASTILLO				FSC Ron Allen 09/23/2029

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures		X		X			
K08	Time as a public health control; procedures & records	X						
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0271461 - CRUST - SANTA CLARA		Site Address 2350 MISSION COLLEGE BL 365, SANTA CLARA, CA 95054	Inspection Date 06/15/2026
Program PR0409966 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name CP RESTAURANT GROUP	Inspection Time 13:45 - 14:45
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: 1 door prep cooler at sandwich assembly table measured to have:

-Ambient temperature of 50F

-Cheese at 48F (Cheese observed to have been just sliced and portioned from large block)

-Special sauce at 53F (Per operator sauce was made in the last hour)

-Roast beef at 51F (Per operator roast beef had been inside cooler since opening)

[CA] Keep PHFs at 41F and below for cold holding.

[COS] Operator moved all placed in cooler within the last hour to other coolers throughout facility. Roast beef was VC&D

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Handwash sink nearest sandwich prep area missing hot water. Water measured 69F.

Other sinks had hot water. [CA] Provide handwash sink with warm water 100F-108F or hot water with cold water mixing valve.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Cut ham	Salad prep cooler	45.00 Fahrenheit	Per employee cut in the last 30 minutes
Sliced cheese	1 door cooler	48.00 Fahrenheit	
Cut turkey	Salad prep cooler	42.00 Fahrenheit	Per employee sliced about 1 hour prior
Warm water	Handwash sink	100.00 Fahrenheit	
Sliced ham	Display case	40.00 Fahrenheit	
Quat ammonia	3-comp sink	200.00 Fahrenheit	
Sliced turkey	Display case	39.00 Fahrenheit	
House sauce	1 door cooler	51.00 Fahrenheit	
Beef	1 door cooler	53.00 Fahrenheit	
Cheese shred	Salad prep cooler	41.00 Fahrenheit	
Cheese block	2 door reach in cooler	40.00 Fahrenheit	
Hot water	3-comp sink	120.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/29/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0271461 - CRUST - SANTA CLARA	Site Address 2350 MISSION COLLEGE BL 365, SANTA CLARA, CA 95054	Inspection Date 06/15/2026
Program PR0409966 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name CP RESTAURANT GROUP	Inspection Time 13:45 - 14:45

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Kaira Castillo
Assistant Manager

Signed On: June 15, 2026