

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0212150 - ORANGE BY FOODA - COFFEE BAR		Site Address 3165 KIFER RD, SANTA CLARA, CA 95051		Inspection Date 05/11/2026	
Program PR0454813 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09			Owner Name 11 DINING LLC		Inspection Time 13:15 - 13:45
Inspected By KATHY VO	Inspection Type ROUTINE INSPECTION	Consent By TIFFANY	FSC Tiffany Nguyen 02/10/2027		

Placard Color & Score

GREEN
89

RISK FACTORS AND INTERVENTIONS						OUT		COS/SA	N/O	N/A	PBI
						IN	Major	Minor			
K01	Demonstration of knowledge; food safety certification	X									
K02	Communicable disease; reporting/restriction/exclusion	X									S
K03	No discharge from eyes, nose, mouth	X									
K04	Proper eating, tasting, drinking, tobacco use	X									
K05	Hands clean, properly washed; gloves used properly	X									S
K06	Adequate handwash facilities supplied, accessible	X									
K07	Proper hot and cold holding temperatures	X									
K08	Time as a public health control; procedures & records								X		
K09	Proper cooling methods								X		
K10	Proper cooking time & temperatures								X		
K11	Proper reheating procedures for hot holding								X		
K12	Returned and reservice of food	X									
K13	Food in good condition, safe, unadulterated	X									
K14	Food contact surfaces clean, sanitized	X									S
K15	Food obtained from approved source	X									
K16	Compliance with shell stock tags, condition, display									X	
K17	Compliance with Gulf Oyster Regulations									X	
K18	Compliance with variance/ROP/HACCP Plan									X	
K19	Consumer advisory for raw or undercooked foods									X	
K20	Licensed health care facilities/schools: prohibited foods not being offered									X	
K21	Hot and cold water available				X						
K22	Sewage and wastewater properly disposed	X									
K23	No rodents, insects, birds, or animals	X									

GOOD RETAIL PRACTICES										OUT	COS
K24	Person in charge present and performing duties										
K25	Proper personal cleanliness and hair restraints										
K26	Approved thawing methods used; frozen food										
K27	Food separated and protected								X		
K28	Fruits and vegetables washed										
K29	Toxic substances properly identified, stored, used										
K30	Food storage: food storage containers identified										
K31	Consumer self service does prevent contamination										
K32	Food properly labeled and honestly presented										
K33	Nonfood contact surfaces clean										
K34	Warewash facilities: installed/maintained; test strips										
K35	Equipment, utensils: Approved, in good repair, adequate capacity								X		
K36	Equipment, utensils, linens: Proper storage and use										
K37	Vending machines										
K38	Adequate ventilation/lighting; designated areas, use										
K39	Thermometers provided, accurate										
K40	Wiping cloths: properly used, stored								X		
K41	Plumbing approved, installed, in good repair; proper backflow devices								X		
K42	Garbage & refuse properly disposed; facilities maintained										
K43	Toilet facilities: properly constructed, supplied, cleaned										
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing										
K45	Floor, walls, ceilings: built, maintained, clean										
K46	No unapproved private home/living/sleeping quarters										
K47	Signs posted; last inspection report available										

OFFICIAL INSPECTION REPORT

Facility FA0212150 - ORANGE BY FOODA - COFFEE BAR	Site Address 3165 KIFER RD, SANTA CLARA, CA 95051	Inspection Date 05/11/2026
Program PR0454813 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name 11 DINING LLC	Inspection Time 13:15 - 13:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: At the automatic handwash sink in the employee restroom, measured the maximum water temperature at 73F. [CA] Water shall be supplied from 100-108F measured from the faucet at handwash stations.

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations: Observed bulk coffee bags are stored while open and uncovered. [CA] After opening, bulk ingredients shall be transferred to approved, food grade containers with tight fitting lids.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: 1) Observed the active use of TurboChef oven without a ventilation hood or prior approval from this Department. [CA] Discontinue the use of unapproved equipment. Provide approved exhausted hood ventilation over all cooking equipment as required to effectively remove cooking odors, smoke, steam, grease, heat, and vapors. Facility to submit plans or apply for hood exemption to Plan Check Department.

2) Observed the active use of countertop, domestic freezer. [CA] Discontinue the use of unapproved equipment. All utensils and equipment shall be certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program (e.g. NSF, UL EPH, UL Sanitation, CSA Sanitation, or ETL Sanitation).

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

Inspector Observations: Observed wiping cloths are stored in sanitizer concentration measuring at 0 ppm. [CA] Wiping cloths shall be stored in an approved sanitizing concentration when not in active use.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Observed drainpipe from the ice machine extends directly into the floor sink. [CA] Provide air gap between the drain pipes and floor sink that is at least twice the diameter of the inlet and no less than 1 inch.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
milk	1-door under counter cooler	41.00 Fahrenheit	
crossaints	display cooler	41.00 Fahrenheit	
water	handwash sink	100.00 Fahrenheit	
water	3-compartment sink	120.00 Fahrenheit	
yogurt	display cooler	41.00 Fahrenheit	
water	handwash sink (restroom)	72.00 Fahrenheit	
sanitizer (quaternary ammonia)	bucket	0.00 PPM	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0212150 - ORANGE BY FOODA - COFFEE BAR	Site Address 3165 KIFER RD, SANTA CLARA, CA 95051	Inspection Date 05/11/2026
Program PR0454813 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name 11 DINING LLC	Inspection Time 13:15 - 13:45

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/25/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Tiffany Nguyen
Dining Manager

Signed On: May 11, 2026