

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0264184 - CVS/PHARMACY #9229		Site Address 3220 S WHITE RD, SAN JOSE, CA 95148		Inspection Date 09/02/2025	
Program PR0303212 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name LONGS DRUG STORES CALI		Inspection Time 16:35 - 17:25
Inspected By MAMAYE KEBEDE	Inspection Type ROUTINE INSPECTION	Consent By ALEJANDRO ROCHA	FSC		

Placard Color & Score
GREEN
87

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible		X		X			
K07 Proper hot and cold holding temperatures					X		
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods						X	
K10 Proper cooking time & temperatures						X	
K11 Proper reheating procedures for hot holding						X	
K12 Returned and reservice of food						X	
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized						X	
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals			X				

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		X
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0264184 - CVS/PHARMACY #9229	Site Address 3220 S WHITE RD, SAN JOSE, CA 95148	Inspection Date 09/02/2025
Program PR0303212 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name LONGS DRUG STORES CALIFORNIA LLC	Inspection Time 16:35 - 17:25
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: There was no soap supply on the men's restroom handwash station.
[CA] Refill the wall-mounted soap dispenser immediately. Until the wall-mounted soap dispenser is refilled/fixed, please use a pump-type soap supply immediately. The PIC refilled the wall-mounted soap dispenser (COS)

Follow-up By
09/02/2025

Minor Violations

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: Couple of rat droppings were observed by the janitorial sink area.
[CA] Eliminate vermin from the facility by a legal method.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Part of the grocery area's ceiling panel is replaced with tarp.
[CA] Please replace the tarps on the ceiling panel with approved ceiling materials.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Milk	Reach-in cooler	34.00 Fahrenheit	
Hot water	Janitorial sink	130.00 Fahrenheit	
Yogurt	Reach-in cooler	38.00 Fahrenheit	
Cheese	Reach-in cooler	38.00 Fahrenheit	

Overall Comments:

Note: The store sells prepackage food products. Therefore, a food safety manager certificate requirement is exempted.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/16/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA]** Corrective Action
- [COS]** Corrected on Site
- [N]** Needs Improvement
- [NA]** Not Applicable
- [NO]** Not Observed
- [PBI]** Performance-based Inspection
- [PHF]** Potentially Hazardous Food
- [PIC]** Person in Charge
- [PPM]** Part per Million
- [S]** Satisfactory
- [SA]** Suitable Alternative
- [TPHC]** Time as a Public Health Control

Received By: Alejandro Rocha
Shift Supervisor

Signed On: September 02, 2025