

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0276624 - SAN JOSE EARTHQUAKES STADIUM - AREA 11		Site Address 1123 COLEMAN AV, SAN JOSE, CA 95110		Inspection Date 03/15/2026		Placard Color & Score GREEN 90		
Program PR0417931 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09			Owner Name OVG Hospitality		Inspection Time 14:10 - 14:50			
Inspected By KATHY VO		Inspection Type ROUTINE INSPECTION		Consent By PEDRO				FSC Pedro Linares 03/01/2028

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records		X					
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						S
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use	X	
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0276624 - SAN JOSE EARTHQUAKES STADIUM - AREA 11		Site Address 1123 COLEMAN AV, SAN JOSE, CA 95110	Inspection Date 03/15/2026
Program PR0417931 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09		Owner Name OVG Hospitality	Inspection Time 14:10 - 14:50
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

K08 - 8 Points - Improperly using time as a public health control procedures & records; 114000

Inspector Observations: *Observed no time markings for the boba stored on the preparation counter at ambient temperatures. Per PIC, boba was cooked 30 minutes prior to temperature measurement. [CA] When time only, rather than time and temperature is used as a public health control, PHFs shall be time marked to indicate when item is removed from temperature control, discarded if not consumed or served within 4 hours, and written procedures shall be readily available for review. [COS] Employee added time markings to the container of boba per TPHC procedures.*

Minor Violations

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: *Observed working utensils stored in standing water measuring at 110F. [CA] Utensils shall be stored in the following manner: 1) in the food with their handles above the top of the food and the container, 2) in running water, 3) in a container of water at 135°F or above, 4) at room temperature if washed within 4 hours of initial use.*

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
cut melon	walk-in cooler	41.00 Fahrenheit	
pulled pork	upright hot holding cabinet	158.00 Fahrenheit	
boba	preparation counter	102.00 Fahrenheit	TPHC
sanitizer (quaternary ammonia)	3-compartment sink	200.00 PPM	
hot dogs	hot holding cabinet	135.00 Fahrenheit	
water	3-compartment sink	120.00 Fahrenheit	
sanitizer (quaternary ammonia)	bucket	200.00 PPM	
water	handwash sink	100.00 Fahrenheit	

Overall Comments:

This report was written and signed at the end of site inspections.

(AREA 11: GENERAL CONCESSIONS)

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/29/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0276624 - SAN JOSE EARTHQUAKES STADIUM - AREA 11	Site Address 1123 COLEMAN AV, SAN JOSE, CA 95110	Inspection Date 03/15/2026
Program PR0417931 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name OVG Hospitality	Inspection Time 14:10 - 14:50

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Pedro Linares
Executive Chef

Signed On: March 15, 2026