

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0210733 - SUSHI BOAT TOWN		Site Address 7130 SANTA TERESA BL, SAN JOSE, CA 95139		Inspection Date 04/28/2023	
Program PR0303877 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name SEUNG BEOM OH		Inspection Time 10:50 - 13:00
Inspected By CHRISTINA RODRIGUEZ	Inspection Type ROUTINE INSPECTION	Consent By SEUNG	FSC Not Available		

Placard Color & Score
YELLOW
69

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification			X				S
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						S
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible		X		X			
K07 Proper hot and cold holding temperatures		X		X			
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures	X						
K11 Proper reheating procedures for hot holding	X						
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods	X						
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used	X	
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips	X	X
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		X
K40 Wiping cloths: properly used, stored		X
K41 Plumbing approved, installed, in good repair; proper backflow devices		X
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		X
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0210733 - SUSHI BOAT TOWN	Site Address 7130 SANTA TERESA BL, SAN JOSE, CA 95139	Inspection Date 04/28/2023
Program PR0303877 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name SEUNG BEOM OH	Inspection Time 10:50 - 13:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Observed the hand wash sink to be used as a dish wash sink. [CA] The hand wash sink must be kept clear and used for only hand washing. [COS] All items were taken out of the hand sink.

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Observed the temperature of the refrigerature to be at 47 degrees F. According to the manager the refrigerator door was open to stock. By the end of the inspection the temperature was back down to 43 degrees F. [CA] The temperature must be at 41 degrees F maximum. All food was put into the walk in refrigerator that is holding food at 33 degrees F.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: The food safety certificate has expired. [CA] Obtain a current food safety certificate.

K29 - 2 Points - Toxic substances improperly identified, stored, used; 114254, 114254.1, 114254.2

Inspector Observations: The spray bottle was not labeled. [CA] Label the bottle with the contents.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: The dish wash machine was at 0ppm chlorine. [CA] It must give 50ppm. [COS] It was fixed and now giving 100ppm chlorine.

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations: The manager stated that they do not have a probe type thermometer. [CA] Obtain and use a probe thermometer for proper cooking temperatures.

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

Inspector Observations: Observed the used wiping rags on prep tables. [CA] They must be stored in sanitizer between each use.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Observed the beverage sink to be plumbed incorrectly with the drain directly into a hand sink type basin in the floor. [CA] The drain pipe must not be in the standing water in the floor sink. The drainage must go down quicker and not sit.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Observed the floor under equipment to be black with accumulation. [CA] Thoroughly clean the floor under equipment.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

OFFICIAL INSPECTION REPORT

Facility FA0210733 - SUSHI BOAT TOWN	Site Address 7130 SANTA TERESA BL, SAN JOSE, CA 95139	Inspection Date 04/28/2023
Program PR0303877 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name SEUNG BEOM OH	Inspection Time 10:50 - 13:00

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
chlorine	dush machine	50.00 PPM	
vegetables	walk in	33.00 Fahrenheit	
chlorine	machine	0.00 PPM	
water	dish sink	120.00 Fahrenheit	
salad mix	prep refrigerator	48.00 Fahrenheit	
salmon	refrigerator	39.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/12/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By:

Signed On: April 28, 2023