

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0282786 - TAN-CHA	Site Address 19600 VALLCO PY 100, CUPERTINO, CA 95014	Inspection Date 04/13/2021
Program PR0424154 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name DENNY GROUP INC	Inspection Time 18:30 - 19:40
Inspected By PETER ESTES	Inspection Type FOLLOW-UP INSPECTION	Consent By JEN LO

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 04/06/2021

K05 - 8 Points - Hands not clean/improperly washed/gloves not used properly; 113952, 113953.3, 113953.4, 113961, 113968, 113973 (b-f)

Compliance of this violation has been verified on: 04/13/2021

Cited On: 04/09/2021

K05 - 8 Points - Hands not clean/improperly washed/gloves not used properly; 113952, 113953.3, 113953.4, 113961, 113968, 113973 (b-f)

Compliance of this violation has been verified on: 04/13/2021

Cited On: 04/13/2021

K05 - 8 Points - Hands not clean/improperly washed/gloves not used properly; 113952, 113953.3, 113953.4, 113961, 113968, 113973 (b-f)

Compliance of this violation has been verified on: 04/13/2021

Cited On: 04/06/2021

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Compliance of this violation has been verified on: 04/09/2021

Cited On: 04/13/2021

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Compliance of this violation has been verified on: 04/13/2021

Cited On: 04/13/2021

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

This violation found not in compliance on 04/13/2021. See details below.

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

This is a follow-up inspection to the follow-up inspection dated 4/13/2021.

Hot water measured at 117F at 3 compartment sink, prep sink and front hand sink.

Facility is okay to re-open.

Boba marked with time code.

Signature not obtained due to COVID-19 and social distancing parameters. A copy of this report will be emailed to the operator.

OFFICIAL INSPECTION REPORT

Facility FA0282786 - TAN-CHA	Site Address 19600 VALLCO PY 100, CUPERTINO, CA 95014	Inspection Date 04/13/2021
Program PR0424154 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name DENNY GROUP INC	Inspection Time 18:30 - 19:40

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/27/2021**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By: Jen Lo
PIC
Signed On: April 14, 2021