

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0282520 - TONGSUI	Site Address 540 BRYANT ST, PALO ALTO, CA 94301	Inspection Date 10/18/2022
Program PR0423731 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name WANG, ZIJING	Inspection Time 13:20 - 13:50
Inspected By DENNIS LY	Inspection Type FOLLOW-UP INSPECTION	Consent By DEBBIE

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 10/13/2022

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Compliance of this violation has been verified on: 10/18/2022

Cited On: 10/13/2022

K08 - 8 Points - Improperly using time as a public health control procedures & records; 114000

Compliance of this violation has been verified on: 10/18/2022

Cited On: 10/13/2022

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Compliance of this violation has been verified on: 10/13/2022

Minor Violations

N/A

Measured Observations

Item	Location	Measurement	Comments
Hot water	three compartment sink	120.00 Fahrenheit	

Overall Comments:

Follow-up inspection for routine conducted on 10/13/22.

All major violations are observed still in compliance.

Handwash sink is accessible and not obstructed.

Boba is subject to TPHC and time marked.

Hot water is available and measured at 120F for the three compartment sink.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/1/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0282520 - TONGSUI	Site Address 540 BRYANT ST, PALO ALTO, CA 94301	Inspection Date 10/18/2022
Program PR0423731 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name WANG, ZIJING	Inspection Time 13:20 - 13:50

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Kevin
Manager
Signed On: October 18, 2022