# **County of Santa Clara**

## **Department of Environmental Health**

#### **Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

Facility FA0209151 - ROUND TABLE PIZZA		Site Address 3730 N 1ST ST 134, SAN JOSE, CA 95134		Inspection Date 10/04/2022
Program PR0304451 - FOOD PREP / Fo	OOD SVC OP 0-5 EMPLOYEES RC 2	2 - FP10	Owner Name KIANIK LLC	Inspection Time 11:00 - 12:00
Inspected By FRANK LEONG	Inspection Type FOLLOW-UP INSPECTION	Consent By WENDY GODINEZ		



#### **Comments and Observations**

### **Major Violations**

Cited On: 09/30/2022

K13 - 8 Points - Food not in good condition/unsafe/adulterated; 113967, 113976, 113980, 113988, 113990, 114035, 114041, 114254(c),

114254.3

Compliance of this violation has been verified on: 10/04/2022

Cited On: 10/04/2022

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: In the kitchen area, above the 2 door prep unit, observed 3 live cockroaches in the wall corner directly underneath shelving. In the same area, above the shelving, next to the hood, observed 3 live cockroaches on the wall. On the floor, crawling to the right side of the hood, observed a single live cockroach. By the warewash room, on the wall between the walk-in refrigerator, and the prep room, observed a single live cockroach on the electrical panel. Between the crevices of the ceiling, above where the pizza size cutouts are displayed, observed 2 live cockroaches. By the front counter, observed a single live cockroach on the wall next to the front storage entrance. In the front storage room, observed a single live cockroach in the right side of the crevice to between the interior door and the wall. In the same room, observed a single live cockroach on the floor. [CA] Facility shall be kept free of cockroach activity. Seal all cracks and crevices within the facility to prevent further harborage. Contact pest control to provide further service for facility. Clean and sanitize all areas with activity to prevent possible contamination of food and food contact surfaces. Facility closed due to live activity. Contact district inspector for follow-up inspection at 408-918-1955. Next follow-up inspection to be charged at \$219.00 per hour.

## **Minor Violations**

N/A

### **Measured Observations**

N/A

### **Overall Comments:**

Follow-up inspection for conditional pass due to cockroach activity and food contamination.

The following violation was corrected:

K13M - Food contamination

- No food contamination observed.

Facility closed due to live cockroach activity. This follow-up inspection is the third follow-up inspection, and will be charged \$219.00.

Next follow-up inspection will be charged \$219.00 per hour.

## OFFICIAL INSPECTION REPORT

	ite Address 3730 N 1ST ST 134, SAN JOSE, CA 95134	Inspection Date 10/04/2022
Program	Owner Name	Inspection Time
PR0304451 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 -	FP10 KIANIK LLC	11:00 - 12:00

## **CLOSURE / PERMIT SUSPENSION NOTICE**

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than <a href="https://doi.org/10.1101/journal.org/10.1101/jou

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

#### Legend:

[CA] Corrective Action
 [COS] Corrected on Site
 [N] Needs Improvement
 [NA] Not Applicable
 [NO] Not Observed

[PBI] Performance-based Inspection[PHF] Potentially Hazardous Food

[PIC] Person in Charge
 [PPM] Part per Million
 [S] Satisfactory
 [SA] Suitable Alternative

[TPHC] Time as a Public Health Control

Received By: WENDY GODINEZ

MANAGER

Signed On: October 04, 2022