

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0210383 - ASI MEXICAN FUSION BISTRO		Site Address 6239 SANTA TERESA BL, SAN JOSE, CA 95119		Inspection Date 11/05/2025		Placard Color & Score GREEN 86		
Program PR0305085 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name 4L UNITED LLC		Inspection Time 14:00 - 15:15			
Inspected By GINA STIEHR		Inspection Type ROUTINE INSPECTION		Consent By BELLA ASTORGA				FSC Not Available

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification			X				
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible			X				
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records	X						
K09	Proper cooling methods		X		X			
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0210383 - ASI MEXICAN FUSION BISTRO	Site Address 6239 SANTA TERESA BL, SAN JOSE, CA 95119	Inspection Date 11/05/2025
Program PR0305085 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name 4L UNITED LLC	Inspection Time 14:00 - 15:15
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K09 - 8 Points - Improper cooling methods; 114002, 114002.1

Inspector Observations: Observed potentially hazardous food that measured in the temperature danger zone located in the walk-in cooler (cooked beans 68F). Per staff, the beans were cooked about 4 hours prior to the inspection. [CA] Ensure PHFs are properly cooled from 135F to 70F within 2 hours and from 70F to 41F within 4 hours. Use rapid cooling methods such as small portions, frequent stirring, ice baths, ice paddles, ice as an ingredient and/or blast chiller. Discontinue consolidating cooling PHFs into buckets until all the way cooled to 41F or below. [COS] PIC voluntarily discarded the improperly cooled beans.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: FSC not available for review. [CA] Food facilities that prepare, handle, or serve non-prepackaged potentially hazard foods shall have a valid Food Safety Certificate available for review at all times.

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Observed paper towel dispenser to be missing in the women's restroom. Paper towels were in a stack on the sink. [CA] Install paper towel dispenser.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
shrimp	drawer cooler	41.00 Fahrenheit	
beef	hot hold	140.00 Fahrenheit	
raw chicken	walk-in cooler	43.00 Fahrenheit	
beans	hot hold	155.00 Fahrenheit	
cooked shrimp	walk-in cooler	42.00 Fahrenheit	
sour cream	walk-in cooler	43.00 Fahrenheit	
beans	walk-in cooler	68.00 Fahrenheit	
hot water	food prep sink	120.00 Fahrenheit	
raw steak	food prep surface	49.00 Fahrenheit	diligent prep
hot water	handwash sink	100.00 Fahrenheit	
quat	3 comp warewash sink	200.00 PPM	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/19/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0210383 - ASI MEXICAN FUSION BISTRO	Site Address 6239 SANTA TERESA BL, SAN JOSE, CA 95119	Inspection Date 11/05/2025
Program PR0305085 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name 4L UNITED LLC	Inspection Time 14:00 - 15:15

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Bella Astorga
Manager

Signed On: November 05, 2025