

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0275950 - MAIN ST BAGEL #8		<b>Site Address</b> 2638 HOMESTEAD RD, SANTA CLARA, CA 95051		<b>Inspection Date</b> 10/19/2023	
<b>Program</b> PR0417103 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			<b>Owner Name</b> PICHMONYNEATH HORN		<b>Inspection Time</b> 14:10 - 15:20
<b>Inspected By</b> FARHAD AMIR-EBRAHIMI	<b>Inspection Type</b> ROUTINE INSPECTION	<b>Consent By</b> P. HORN	<b>FSC</b> P. Horn 07/26/27		

**Placard Color & Score**  
**GREEN**  
**86**

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible		X		X			
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized					X		
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		X
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		X
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

Facility FA0275950 - MAIN ST BAGEL #8	Site Address 2638 HOMESTEAD RD, SANTA CLARA, CA 95051	Inspection Date 10/19/2023
Program PR0417103 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name PICHMONYNEATH HORN	Inspection Time 14:10 - 15:20
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

## Comments and Observations

### Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

**Inspector Observations: 1. No soap in the back soap dispenser [CA] Keep supplied for proper hand washing - Corrected**

**2. No paper towel in the front paper towel dispenser [CA] Keep supplied - Corrected**

### Minor Violations

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

**Inspector Observations: Light cover missing for the lights by the walk-in freezer [CA] Provide light covers.**

Follow-up By  
10/31/2023

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

**Inspector Observations: 1. Back hand sink water flow is limited [CA] Fix the faucet to provide proper flow for hand washing**

Follow-up By  
10/31/2023

**2. Water accumulates and drains very slowly at front hand sink [CA] Unclog the hand sink**

**3. Front hand sink knobs are hard to operate [CA] Fix knobs for ease of use**

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

**Inspector Observations: Cove base tile by the walk-in freezer is in disrepair [CA] Repair or replace cove base tiles.**

Follow-up By  
10/31/2023

### Performance-Based Inspection Questions

N/A

### Measured Observations

Item	Location	Measurement	Comments
Milk	Line cooler	41.00 Fahrenheit	
Cheese	Back walk-in cooler	40.00 Fahrenheit	
Mangoes	Walk-in freezer	12.00 Fahrenheit	
Milk	Front walk-in cooler	39.00 Fahrenheit	
Water	3-comp sink	120.00 Fahrenheit	

### Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/2/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0275950 - MAIN ST BAGEL #8	<b>Site Address</b> 2638 HOMESTEAD RD, SANTA CLARA, CA 95051	<b>Inspection Date</b> 10/19/2023
<b>Program</b> PR0417103 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	<b>Owner Name</b> PICHMONYNEATH HORN	<b>Inspection Time</b> 14:10 - 15:20

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



**Received By:** P. Horn

**Signed On:** October 19, 2023