

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0208430 - HYATT PLACE SAN JOSE / DOWNTOWN - MAIN		Site Address 282 ALMADEN BL, SAN JOSE, CA 95113	Inspection Date 03/01/2023
Program PR0301707 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name INTERSTATE MANAGEMENT	Inspection Time 13:45 - 14:10
Inspected By JENNIFER RIOS	Inspection Type FOLLOW-UP INSPECTION	Consent By RU PASTER	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 02/13/2023

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

This violation found not in compliance on 03/01/2023. See details below.

Cited On: 03/01/2023

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water heater has not been repaired. Second charged follow up inspection scheduled for March 13th. [CA] Hot water must be provided at 120F at all sinks except handwash (100F).

Follow-up By 03/13/2023

Continue prepackaged food and drinks only as stated in previous inspection report.

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

Discontinue coffee service in front lobby until follow up inspection is conducted.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/15/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: Ru Paster
 General Manager
Signed On: March 01, 2023