

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0261306 - LOPEZ PRODUCE MARKET		Site Address 8655 MONTEREY RD A, GILROY, CA 95020		Inspection Date 04/13/2026		Placard Color & Score GREEN 85		
Program PR0383193 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name MARIO LOPEZ		Inspection Time 11:00 - 12:00			
Inspected By GUILLERMO VAZQUEZ		Inspection Type ROUTINE INSPECTION		Consent By MARIO LOPEZ				FSC Exempt

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification						X	
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible		X					S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0261306 - LOPEZ PRODUCE MARKET	Site Address 8655 MONTEREY RD A, GILROY, CA 95020	Inspection Date 04/13/2026
Program PR0383193 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name MARIO LOPEZ	Inspection Time 11:00 - 12:00
K48 Plan review		
K49 Permits available		X
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Only hand wash station has a damaged drain pipe at the time of inspection.

[CA] Make repairs to the hand wash station.

[SA] Facility will be using the 3-compartment sink to wash hands until repairs are made.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water within the 3-compartment sink was measured at 111°F at the time of inspection.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at hand wash sinks. Adjust water heater.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Reach in at the back of the facility does not seem to be in use. Per PIC, they plan on removing it.

[CA] The premises of a food facility shall be free of litter and items that are unnecessary to the operation or maintenance of the facility, such as equipment that is nonfunctional or no longer used.

K49 - 2 Points - Permits not available; 114067(b,c), 114381(a), 114387

Inspector Observations: --48 HOUR NOTICE--

Our records indicate this facility is operating without a valid permit and has a delinquent account. Your balance due is \$971.25. Payment must be made immediately to DEH at the address at the top of this report or via our website at www.Ehinfo.org.

A facility that submits payment of the outstanding balance within 48 hours (2 business days) of this notice will be issued and mailed an operating permit by this department. Failure to comply within 48 hours will result in facility closure and additional enforcement, including but not limited to reinspection(s) and additional cost recovery fees.

A facility found to be in continued operation without a permit may incur a penalty of three (3) times the operating permit fee, and fee(s) for re-inspection(s) charged at the current hourly rate approved by the Santa Clara County Board of Supervisors. Penalties and fees incurred due to enforcement activities must be paid in full prior to the issuance of an operating permit.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Warm water	Hand wash/restroom	100.00 Fahrenheit	
Ice cream	Freezer chest (2x)	5.00 Fahrenheit	
Cheese	Reach in	39.00 Fahrenheit	
Hot water	3-Compartment	111.00 Fahrenheit	Adjust to 120°F minimum.
Sanitizer (Quats)	3-Compartment	200.00 PPM	
Ambient	Reach in (4x)	40.00 Fahrenheit	Drinks.
Shelled eggs	Reach in	39.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0261306 - LOPEZ PRODUCE MARKET	Site Address 8655 MONTEREY RD A, GILROY, CA 95020	Inspection Date 04/13/2026
Program PR0383193 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name MARIO LOPEZ	Inspection Time 11:00 - 12:00

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 4/27/2026. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Mario Lopez

Received By: Mario Lopez
Owner

Signed On: April 13, 2026