

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0259483 - CURRY PIZZA HOUSE		Site Address 320 UNIVERSITY AV, PALO ALTO, CA 94301	Inspection Date 01/06/2025
Program PR0380186 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13		Owner Name CPH PALO ALTO LLC	Inspection Time 14:45 - 15:15
Inspected By ALELI CRUTCHFIELD	Inspection Type LIMITED INSPECTION	Consent By YAYA	

Placard Color & Score RED N/A
--

Comments and Observations

Major Violations

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: *Observed fresh rodent droppings downstairs in the liquor storage room. Observed old droppings in the bar in between the refrigerator and bar tap unit. Observed several rodent traps located throughout facility. Spoke with manager and they stated they are aware of issue and pest control has been coming out weekly. There is construction next door and that is where the rodents are coming from. [CA] Remove rodent droppings, clean and sanitize affected areas and contact pest control for service. Provide a copy of service report(s) for review at follow up inspection.*

Facility is closed due to rodent activity.

Contact this inspector for written approval to re-open facility (408) 918-3450 (desk line). Any evidence of r

Minor Violations

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: *Observed half open ceiling where metal pipe lines are located. [CA] Close up the ceiling to ensure facility is vermin proofed.*

K49 - 2 Points - Permits not available; 114067(b,c), 114381(a), 114387

Inspector Observations: *Your permit has expired and you are currently operating without a valid permit. [CA] Permit shall be valid and must be paid for prior to follow up inspection. A copy of this receipt shall be provided to this inspector and emailed to aleli.crutchfield@deh.sccgov.org.*

You may make a payment via QR code or online www.ehinfo.org -> payment and enter account record ID-AR1347149

Performance-Based Inspection Questions

N/A

Measured Observations

N/A

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0259483 - CURRY PIZZA HOUSE	Site Address 320 UNIVERSITY AV, PALO ALTO, CA 94301	Inspection Date 01/06/2025
Program PR0380186 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name CPH PALO ALTO LLC	Inspection Time 14:45 - 15:15

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 1/20/2025. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: carlos galvez
supervisor

Signed On: January 06, 2025