

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0202899 - SHABUYA MILPITAS		Site Address 84 RANCH DR, MILPITAS, CA 95035		Inspection Date 05/10/2024	
Program PR0307182 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 2 - FP16			Owner Name APEX RESTAURANT GROUP		Inspection Time 13:30 - 15:15
Inspected By PETER ESTES	Inspection Type ROUTINE INSPECTION	Consent By MARY PHAN	FSC Mary Phan 5/9/2028		

Placard Color & Score
GREEN
76

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible			X				S
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records	X						
K09 Proper cooling methods						X	
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding						X	
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized			X				
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food	X	
K27 Food separated and protected	X	
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use	X	
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use	X	
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored	X	
K41 Plumbing approved, installed, in good repair; proper backflow devices	X	
K42 Garbage & refuse properly disposed; facilities maintained	X	
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45 Floor, walls, ceilings: built,maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0202899 - SHABUYA MILPITAS	Site Address 84 RANCH DR, MILPITAS, CA 95035	Inspection Date 05/10/2024
Program PR0307182 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 2 - FP16	Owner Name APEX RESTAURANT GROUP LLC	Inspection Time 13:30 - 15:15
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Handsink between dishwasher and 3 compartment sink is missing soap and paper towels and is blocked by container. Nearby hand sink is full stocked. [CA] Provide liquid hand soap and paper towels at all hand sinks and remove container to make hand sink accessible.

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Containers being stacked while still wet. [CA] Equipment and utensils must be air dried or properly stored to facilitate drying after sanitizing.

K26 - 2 Points - Unapproved thawing methods used; frozen food; 114018, 114020, 114020.1

Inspector Observations: Frozen meat stored in container on reach in thawing. [CA] Frozen potentially hazardous food shall only be thawed in one of the following ways: 1) under refrigeration that maintains the food temperature at 41°F or below, 2) completely submerged under potable running water for a period not to exceed two hours at a water temperature of 70°F or below, and with sufficient water velocity to agitate and flush off loose particles into the sink drain, 3) in a microwave oven if immediately followed by immediate preparation, 4) as part of a cooking process.

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations: Trays of raw meat double stacked in reach in without protection. [CA] Provide food grade material in between containers or do not double stack.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Condenser to walk in is leaking. [CA] Repair condenser and remove all leaks.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: 1) Rice scoops stored in water measuring 50F. [CA] Store scoops in cold water (41F or below), hot water (135F or above) or on a clean dry surface with washing and sanitizing every 4 hours.

2) Container with no handle used as scoop for bulk sauce. [CA] Provide scoop with handle and store scoop with handle out of food.

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: Gas range outside of hood. [CA] There shall be a minimum of 6 inches overhang of ventilation hood over cooking equipment.

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

Inspector Observations: Wiping cloths stored on prep counter. [CA] Store used wet wiping cloths in sanitizer measuring 100 ppm chlorine or 200 ppm quat.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

OFFICIAL INSPECTION REPORT

Facility FA0202899 - SHABUYA MILPITAS	Site Address 84 RANCH DR, MILPITAS, CA 95035	Inspection Date 05/10/2024
Program PR0307182 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 2 - FP16	Owner Name APEX RESTAURANT GROUP LLC	Inspection Time 13:30 - 15:15

Inspector Observations: Drain line from keg unit inside floor sink. [CA] Provide minimum 1" air gap from top lip of floor sink.

K42 - 2 Points - Garbage and refuse improperly disposed; 114244, 114245, 114245.1, 114245.2, 114245.3, 114245.4, 114245.5, 114245.6, 114245.7, 114245.8

Inspector Observations: Dumpster lids are kept open. [CA] Keep dumpster lids closed at all times.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Air curtain for back door does not cover back door completely. [CA] Repair air curtain so back door is completely covered or keep back door closed at all times.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
rice	rice cooker	160.00 Fahrenheit	
hot water	3 compartment	120.00 Fahrenheit	
walk in	walk in	40.00 Fahrenheit	
fish	walk in	34.00 Fahrenheit	
chlorine	dishwasher	50.00 PPM	
quat	3 compartment	200.00 PPM	
walk in freezer	walk in	29.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/24/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Mary Phan

Signed On: May 10, 2024