

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| | | | | | |
|--|--|--|--|--------------------------------------|---|
| Facility FA0283849 - FENG HOTPOT | | Site Address 1669 HOLLENBECK AV A, SUNNYVALE, CA 94087 | | Inspection Date 05/28/2026 | |
| Program PR0425730 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13 | | | Owner Name FENG HOTPOT SUNNYVALE | | Inspection Time 13:15 - 14:45 |
| Inspected By KAYA ALASSFAR | Inspection Type ROUTINE INSPECTION | Consent By GUAN FENG | FSC XINGSHUO GU 5/20/2027 | | |

| |
|---|
| Placard Color & Score GREEN 79 |
|---|

| RISK FACTORS AND INTERVENTIONS | IN | OUT | | COS/SA | N/O | N/A | PBI |
|---|----|-------|-------|--------|-----|-----|-----|
| | | Major | Minor | | | | |
| K01 Demonstration of knowledge; food safety certification | X | | | | | | |
| K02 Communicable disease; reporting/restriction/exclusion | X | | | | | | |
| K03 No discharge from eyes, nose, mouth | X | | | | | | |
| K04 Proper eating, tasting, drinking, tobacco use | X | | | | | | |
| K05 Hands clean, properly washed; gloves used properly | X | | | | | | |
| K06 Adequate handwash facilities supplied, accessible | X | | | | | | |
| K07 Proper hot and cold holding temperatures | | X | | X | | | |
| K08 Time as a public health control; procedures & records | | | | | | X | |
| K09 Proper cooling methods | X | | | | | | |
| K10 Proper cooking time & temperatures | | | | | X | | |
| K11 Proper reheating procedures for hot holding | | | | | X | | |
| K12 Returned and reservice of food | X | | | | | | |
| K13 Food in good condition, safe, unadulterated | X | | | | | | |
| K14 Food contact surfaces clean, sanitized | | | X | | | | |
| K15 Food obtained from approved source | X | | | | | | |
| K16 Compliance with shell stock tags, condition, display | | | | | | X | |
| K17 Compliance with Gulf Oyster Regulations | | | | | | X | |
| K18 Compliance with variance/ROP/HACCP Plan | | | | | | X | |
| K19 Consumer advisory for raw or undercooked foods | | | | | | X | |
| K20 Licensed health care facilities/schools: prohibited foods not being offered | | | | | | X | |
| K21 Hot and cold water available | X | | | | | | |
| K22 Sewage and wastewater properly disposed | X | | | | | | |
| K23 No rodents, insects, birds, or animals | X | | | | | | |

| GOOD RETAIL PRACTICES | OUT | COS |
|---|-----|-----|
| K24 Person in charge present and performing duties | | |
| K25 Proper personal cleanliness and hair restraints | | |
| K26 Approved thawing methods used; frozen food | | |
| K27 Food separated and protected | | |
| K28 Fruits and vegetables washed | | |
| K29 Toxic substances properly identified, stored, used | | |
| K30 Food storage: food storage containers identified | X | |
| K31 Consumer self service does prevent contamination | | |
| K32 Food properly labeled and honestly presented | | |
| K33 Nonfood contact surfaces clean | X | |
| K34 Warewash facilities: installed/maintained; test strips | | |
| K35 Equipment, utensils: Approved, in good repair, adequate capacity | | |
| K36 Equipment, utensils, linens: Proper storage and use | | |
| K37 Vending machines | | |
| K38 Adequate ventilation/lighting; designated areas, use | | |
| K39 Thermometers provided, accurate | | |
| K40 Wiping cloths: properly used, stored | | |
| K41 Plumbing approved, installed, in good repair; proper backflow devices | X | |
| K42 Garbage & refuse properly disposed; facilities maintained | | |
| K43 Toilet facilities: properly constructed, supplied, cleaned | | |
| K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing | X | |
| K45 Floor, walls, ceilings: built,maintained, clean | | |
| K46 No unapproved private home/living/sleeping quarters | | |
| K47 Signs posted; last inspection report available | | |

OFFICIAL INSPECTION REPORT

| | | |
|--|--|---|
| Facility FA0283849 - FENG HOTPOT | Site Address 1669 HOLLENBECK AV A, SUNNYVALE, CA 94087 | Inspection Date 05/28/2026 |
| Program PR0425730 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13 | Owner Name FENG HOTPOT SUNNYVALE LLC | Inspection Time 13:15 - 14:45 |
| K48 Plan review | | X |
| K49 Permits available | | |
| K58 Placard properly displayed/posted | | |

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: PHFs held on shelves at preparation area measured between 55F-66F : 3 types of raw tripe, raw tofu.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] Employee discarded PHFs in refuse bin.

Minor Violations

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Mold like substance buildup inside the ice machine.

[CA] Clean and sanitize more frequently.

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Boxed food stored directly on the floor in the dry storage area.

[CA] Food shall be stored at least 6 inches above the floor to prevent contamination.

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations: Accumulation of grease on equipment handles.

[CA] Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Leak in the mop sink faucet.

[CA] Repair plumbing fixture and maintain in clean and good repair.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Personal items stored on food shelves.

[CA] No person shall store clothing or personal effects in any area used for the storage and preparation of food or food contact surfaces.

K48 - 2 Points - Plan review unapproved; 114380

Inspector Observations: Self service cold holding unit in dining area added without plan approval.

[CA] Submit plans and specifications for review. Contact EH at 408-918-3400 or at <https://deh.santaclaracounty.gov/food-and-retail/compliance-retail-food-operations/submit-plan-review-restaurant-s-grocery-stores-and#plan> to obtain plan check requirements.

Performance-Based Inspection Questions

N/A

OFFICIAL INSPECTION REPORT

| | | |
|--|--|---|
| Facility FA0283849 - FENG HOTPOT | Site Address 1669 HOLLENBECK AV A, SUNNYVALE, CA 94087 | Inspection Date 05/28/2026 |
| Program PR0425730 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13 | Owner Name FENG HOTPOT SUNNYVALE LLC | Inspection Time 13:15 - 14:45 |

Measured Observations

| <u>Item</u> | <u>Location</u> | <u>Measurement</u> | <u>Comments</u> |
|--------------|----------------------|--------------------|-----------------|
| milk drink | upright refrigertaor | 40.00 Fahrenheit | |
| sesame sauce | self service station | 39.00 Fahrenheit | |
| beef | freezer | 0.70 Fahrenheit | |
| chicken feet | upright refrigerator | 40.00 Fahrenheit | |
| raw chicken | upright refrigerator | 40.00 Fahrenheit | |
| rice | upright refrigerator | 40.00 Fahrenheit | |
| water | 3-comp sink | 120.00 Fahrenheit | |
| tofu | freezer | 0.70 Fahrenheit | |
| chlorine | dishwasher | 50.00 PPM | |
| stew | prep surface | 120.00 Fahrenheit | cooling |
| water | hand sink | 100.00 Fahrenheit | |

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/11/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Guan Feng
Assistant manager

Signed On: May 28, 2026