

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0269489 - GOOGLE - BLAZE BISTRO		Site Address 1225 CHARLESTON RD, MOUNTAIN VIEW, CA 9404		Inspection Date 11/03/2025		Placard Color & Score GREEN 98		
Program PR0400962 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name GOOGLE LLC		Inspection Time 11:45 - 13:00			
Inspected By HELEN DINH		Inspection Type ROUTINE INSPECTION		Consent By MELISSA & PETR (C)				FSC Petr Oplatka 4/15/27

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records	X						
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods	X						
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		X
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0269489 - GOOGLE - BLAZE BISTRO	Site Address 1225 CHARLESTON RD, MOUNTAIN VIEW, CA 94043	Inspection Date 11/03/2025
Program PR0400962 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name GOOGLE LLC	Inspection Time 11:45 - 13:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Found a leak at mop sink when water knob is on/off. [CA] Repair leak.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
cheese pizza	oven	189.00 Fahrenheit	under TPHC, time log observed
milk	coffee station reach in	41.00 Fahrenheit	
pizza	pizza station	130.00 Fahrenheit	under TPHC, time log observed
soup	salad bar	186.00 Fahrenheit	under TPHC, time log observed
hot water	high temp dish machine	162.00 Fahrenheit	
shredded cheese	(2x) 2 door cold top	39.00 Fahrenheit	
hot water	warewash/1-comp	120.00 Fahrenheit	
diced chicken	2 door reach in warmer	134.00 Fahrenheit	under TPHC, time log observed
chicken	prep room	41.00 Fahrenheit	diligent prep
milk	counter (coffee station)	41.00 Fahrenheit	under TPHC, color marked.
spanish rice	2 door reach in warmer	130.00 Fahrenheit	under time as a public health control (TPHC), color mark observed.
spanish rice	service area	130.00 Fahrenheit	under TPHC, time log observed
diced chicken	salad bar	48.00 Fahrenheit	under TPHC, time log observed
yogurt	self-service area	41.00 Fahrenheit	
quat	warewash/sani buckets	200.00 PPM	
tofu	salad bar	52.00 Fahrenheit	under TPHC, time log observed
sliced tomatoes	prep room	41.00 Fahrenheit	diligent prep
chicken	2 door reach in warmer	134.00 Fahrenheit	under TPHC, time log observed
roasted chicken	service area	178.00 Fahrenheit	under TPHC, time log observed

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/17/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0269489 - GOOGLE - BLAZE BISTRO	Site Address 1225 CHARLESTON RD, MOUNTAIN VIEW, CA 94043	Inspection Date 11/03/2025
Program PR0400962 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name GOOGLE LLC	Inspection Time 11:45 - 13:00

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Lora Lipman
PIC
Signed On: November 03, 2025