

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0258069 - AMBER ELEMENTARY SCHOOL		Site Address 3500 AMBER DR, SAN JOSE, CA 95117		Inspection Date 09/03/2026	
Program PR0377708 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22			Owner Name ACTION DAY NURS/ PRIMAR		Inspection Time 11:35 - 12:00
Inspected By HINA WYNE	Inspection Type ROUTINE INSPECTION	Consent By ELSA CABRERA	FSC		

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				

GOOD RETAIL PRACTICES	OUT	COS

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

No minor violations were observed during this inspection.

Performance-Based Inspection Questions

N/A

Measured Observations

N/A

Overall Comments:

The following items were VC & D due to improper cold holding in the only refrigeration unit in the cafeteria facility.

1. 2lbs - Macaroni salad
2. 1 gallon 3/4 full - Caesar dressing
3. 1 gallon 1/4 full - italian dressing
4. 0.5lbs 1/4 full - Coffee Matte creamer
6. 3lbs - Ham
7. 4.5lbs - shredded parmesan cheese
8. 5lbs - String Cheese
9. 15 6oz - Yoplait Yogurts
10. 74 count - raw eggs
11. 2lbs- American Slice cheese
12. 1lbs - Shredded Mexican 4 cheese

*The above items were disposed of in the refuse inside facility and liquids were disposed of in the warewash sink.
Report will be emailed.*

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/17/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0258069 - AMBER ELEMENTARY SCHOOL	Site Address 3500 AMBER DR, SAN JOSE, CA 95117	Inspection Date 09/03/2026
Program PR0377708 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22	Owner Name ACTION DAY NURS/ PRIMARY PLUS,	Inspection Time 11:35 - 12:00

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: PREETI
PIC
Signed On: September 09, 2026