

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0213476 - HUNAN HOUSE		<b>Site Address</b> 122 S SUNNYVALE AV, SUNNYVALE, CA 94086		<b>Inspection Date</b> 12/27/2022	
<b>Program</b> PR0302845 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			<b>Owner Name</b> SIZZLING POT KING CORPO		<b>Inspection Time</b> 14:15 - 15:45
<b>Inspected By</b> DAVID LEE	<b>Inspection Type</b> ROUTINE INSPECTION	<b>Consent By</b> YICHENG		<b>FSC</b> Not Available	

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>89</b>
---

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification			X				
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures	X						S
K08 Time as a public health control; procedures & records					X		
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified	X	
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use	X	
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use	X	
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored	X	
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0213476 - HUNAN HOUSE	<b>Site Address</b> 122 S SUNNYVALE AV, SUNNYVALE, CA 94086	<b>Inspection Date</b> 12/27/2022
<b>Program</b> PR0302845 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	<b>Owner Name</b> SIZZLING POT KING CORPORATION	<b>Inspection Time</b> 14:15 - 15:45
<b>K48</b> Plan review		
<b>K49</b> Permits available		
<b>K58</b> Placard properly displayed/posted		

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

**Inspector Observations: expired manager's food safety certificate**  
**[CA]renew/obtain a valid FSC**

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

**Inspector Observations: pickled pepper container in hallway**  
**[CA]discontinue storing food in hallway**

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

**Inspector Observations: extra utensils stored next to mop sink**  
**[CA]properly store utensils in designated area**

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

**Inspector Observations: grime build up on ventilation hood filters**  
**[CA]maintain hood filters free of grime build up**

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

**Inspector Observations: several wiping clothes on food contact surface**  
**[CA]maintain wiping clothes in bleach water when not in use**

### Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

### Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
pork	2 door prep table cooler	36.00 Fahrenheit	
eggs	3 door reach in cooler	40.00 Fahrenheit	
squid	2 door reach in cooler	39.00 Fahrenheit	
chlorine	dishwashing machine	50.00 PPM	
beef	3 door prep table cooler	38.00 Fahrenheit	

### Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/10/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0213476 - HUNAN HOUSE	<b>Site Address</b> 122 S SUNNYVALE AV, SUNNYVALE, CA 94086	<b>Inspection Date</b> 12/27/2022
<b>Program</b> PR0302845 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	<b>Owner Name</b> SIZZLING POT KING CORPORATION	<b>Inspection Time</b> 14:15 - 15:45

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: yicheng ji

Signed On: December 27, 2022