

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0258433 - PRESENTATION HIGH - FOOD CONCESSION		Site Address 2281 PLUMMER AV, SAN JOSE, CA 95125		Inspection Date 09/08/2023	
Program PR0378376 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22			Owner Name SISTERS OF THE PRESENTA		Inspection Time 14:00 - 15:15
Inspected By MARCELA MASRI	Inspection Type ROUTINE INSPECTION	Consent By JESUS	FSC Exempt		

Placard Color & Score GREEN 94

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification						X	
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth					X		
K04 Proper eating, tasting, drinking, tobacco use					X		
K05 Hands clean, properly washed; gloves used properly					X		
K06 Adequate handwash facilities supplied, accessible	X						S
K07 Proper hot and cold holding temperatures	X						S
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods						X	
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized					X		S
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered	X						
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		X
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		X
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		X
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0258433 - PRESENTATION HIGH - FOOD CONCESSION	Site Address 2281 PLUMMER AV, SAN JOSE, CA 95125	Inspection Date 09/08/2023
Program PR0378376 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22	Owner Name SISTERS OF THE PRESENTATION	Inspection Time 14:00 - 15:15
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations: MISSING A THERMOMETER IN THE REACH IN REFRIGERATOR. [CA] PROVIDE A THERMOMETER AND ENSURE THAT THE TEMPERATURE OF THE REFRIGERATOR IS BELOW 41F.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: FOUND A LEAK AT THE 3 COMPARTMENT SINK AT THE FAUCET AREA. [CA] REPAIR THE LEAK.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: FOUND SPIDER WEBS ON THE WALLS IN THE FOOD SERVICE AREA. [CA] REMOVE THE SPIDER WEBS.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
HOT WATER	HAND WASH SINK	100.00 Fahrenheit	
HOT WATER	3 COMPARTMENT SINK	120.00 Fahrenheit	

Overall Comments:


NOTE: IF OPEN FOOD LIKE OPEN SNACKS, HAMBURGERS, HOT DOGS, NACHOS ARE SOLD FROM THIS FACILITY, A FOOD SAFETY CERTIFICATE IS REQUIRED.

OPERATOR STATES THAT THEY ONLY SELL PREPACKAGED CANDY AND PREPACKAGED SNACKS.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/22/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: JESUS
PIC
Signed On: September 08, 2023