

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0204426 - DARBAR INDIAN CUISINE		Site Address 129 LYTTON AV, PALO ALTO, CA 94301	Inspection Date 07/02/2025
Program PR0305330 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name DARBAR ENTERPRISES INC	Inspection Time 10:00 - 11:15
Inspected By TRAVIS KETCHU	Inspection Type FOLLOW-UP INSPECTION	Consent By MANDEEP SINGH	

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 06/30/2025

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Compliance of this violation has been verified on: 02/02/2025

Cited On: 06/30/2025

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Compliance of this violation has been verified on: 07/02/2025

Cited On: 06/30/2025

K09 - 8 Points - Improper cooling methods; 114002, 114002.1

Compliance of this violation has been verified on: 07/02/2025

Cited On: 06/30/2025

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 114125(b), 114141

Compliance of this violation has been verified on: 07/02/2025

Cited On: 06/30/2025

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 07/02/2025

Minor Violations

N/A

Measured Observations

Item	Location	Measurement	Comments
ambinet temp	cook line prep fridge	37.00 Fahrenheit	
chlorine sanitizer	warewashing machine	50.00 PPM	

Overall Comments:

Follow-up inspection to routine inspection resulting in a closure on 6/30/2025 due to vermin.

The following was completed prior to contacting this department for a reopening inspection:

- 1. Worksheet has been received from person in charge.*
- 2. A report from a licensed pest control company has been received and reviewed.*
- 3. All sanitation and food safety items on worksheet have been verified as completed.*
- 4. All prevention measures on worksheet has been verified as completed.*

No cockroach activity observed at the time of inspection.

Other major violations noted during the routine inspection have been corrected:

K06 - The hand wash sink within the kitchen was fully accessible.

K07 - The cook line preparation refrigerator has been repaired, ambient temperature measured at 37 F.

K09 - Remaining cooling items were properly cooled

OFFICIAL INSPECTION REPORT

Facility FA0204426 - DARBAR INDIAN CUISINE	Site Address 129 LYTTON AV, PALO ALTO, CA 94301	Inspection Date 07/02/2025
Program PR0305330 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name DARBAR ENTERPRISES INC	Inspection Time 10:00 - 11:15

K14 - Warewashing machine has been repaired. Measured at 50 ppm chlorine.

Continue to work on minor violations noted during the routine inspection.

Facility is reopened and may resume operation.

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/16/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: mandeep singh
pic
Signed On: July 02, 2025