

# County of Santa Clara

## Department of Environmental Health

### Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

|                                                                                  |  |                                                            |                                                |                                      |                                         |                                                                                                                                                                |  |                                        |
|----------------------------------------------------------------------------------|--|------------------------------------------------------------|------------------------------------------------|--------------------------------------|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------|
| <b>Facility</b><br>FA0204957 - PIZZERIA DELFINA                                  |  | <b>Site Address</b><br>651 EMERSON ST, PALO ALTO, CA 94301 |                                                | <b>Inspection Date</b><br>01/30/2026 |                                         | <b>Placard Color &amp; Score</b><br><div style="background-color: green; color: white; padding: 10px; text-align: center;"> <b>GREEN</b><br/> <b>93</b> </div> |  |                                        |
| <b>Program</b><br>PR0305308 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14 |  |                                                            | <b>Owner Name</b><br>PANNA LLC DBA PIZZERIA DI |                                      | <b>Inspection Time</b><br>13:30 - 14:30 |                                                                                                                                                                |  |                                        |
| <b>Inspected By</b><br>ALELI CRUTCHFIELD                                         |  | <b>Inspection Type</b><br>ROUTINE INSPECTION               |                                                | <b>Consent By</b><br>ANDREW          |                                         |                                                                                                                                                                |  | <b>FSC</b> Julia Roselin<br>11/24/2026 |

  

| RISK FACTORS AND INTERVENTIONS |                                                                             | IN | OUT   |       | COS/SA | N/O | N/A | PBI |
|--------------------------------|-----------------------------------------------------------------------------|----|-------|-------|--------|-----|-----|-----|
|                                |                                                                             |    | Major | Minor |        |     |     |     |
| K01                            | Demonstration of knowledge; food safety certification                       | X  |       |       |        |     |     |     |
| K02                            | Communicable disease; reporting/restriction/exclusion                       | X  |       |       |        |     |     |     |
| K03                            | No discharge from eyes, nose, mouth                                         | X  |       |       |        |     |     |     |
| K04                            | Proper eating, tasting, drinking, tobacco use                               | X  |       |       |        |     |     |     |
| K05                            | Hands clean, properly washed; gloves used properly                          | X  |       |       |        |     |     |     |
| K06                            | Adequate handwash facilities supplied, accessible                           | X  |       |       |        |     |     |     |
| K07                            | Proper hot and cold holding temperatures                                    | X  |       |       |        |     |     | S   |
| K08                            | Time as a public health control; procedures & records                       | X  |       |       |        |     |     | S   |
| K09                            | Proper cooling methods                                                      |    |       | X     |        |     |     |     |
| K10                            | Proper cooking time & temperatures                                          | X  |       |       |        |     |     |     |
| K11                            | Proper reheating procedures for hot holding                                 | X  |       |       |        |     |     |     |
| K12                            | Returned and reservice of food                                              | X  |       |       |        |     |     |     |
| K13                            | Food in good condition, safe, unadulterated                                 | X  |       |       |        |     |     |     |
| K14                            | Food contact surfaces clean, sanitized                                      | X  |       |       |        |     |     |     |
| K15                            | Food obtained from approved source                                          | X  |       |       |        |     |     |     |
| K16                            | Compliance with shell stock tags, condition, display                        |    |       |       |        |     | X   |     |
| K17                            | Compliance with Gulf Oyster Regulations                                     |    |       |       |        |     | X   |     |
| K18                            | Compliance with variance/ROP/HACCP Plan                                     |    |       |       |        |     | X   |     |
| K19                            | Consumer advisory for raw or undercooked foods                              |    |       |       |        |     | X   |     |
| K20                            | Licensed health care facilities/schools: prohibited foods not being offered |    |       |       |        |     | X   |     |
| K21                            | Hot and cold water available                                                | X  |       |       |        |     |     |     |
| K22                            | Sewage and wastewater properly disposed                                     | X  |       |       |        |     |     |     |
| K23                            | No rodents, insects, birds, or animals                                      | X  |       |       |        |     |     |     |

  

| GOOD RETAIL PRACTICES |                                                                                     | OUT | COS |
|-----------------------|-------------------------------------------------------------------------------------|-----|-----|
| K24                   | Person in charge present and performing duties                                      |     |     |
| K25                   | Proper personal cleanliness and hair restraints                                     |     |     |
| K26                   | Approved thawing methods used; frozen food                                          |     |     |
| K27                   | Food separated and protected                                                        |     |     |
| K28                   | Fruits and vegetables washed                                                        |     |     |
| K29                   | Toxic substances properly identified, stored, used                                  |     |     |
| K30                   | Food storage: food storage containers identified                                    |     |     |
| K31                   | Consumer self service does prevent contamination                                    |     |     |
| K32                   | Food properly labeled and honestly presented                                        |     |     |
| K33                   | Nonfood contact surfaces clean                                                      |     |     |
| K34                   | Warewash facilities: installed/maintained; test strips                              | X   |     |
| K35                   | Equipment, utensils: Approved, in good repair, adequate capacity                    |     |     |
| K36                   | Equipment, utensils, linens: Proper storage and use                                 |     |     |
| K37                   | Vending machines                                                                    |     |     |
| K38                   | Adequate ventilation/lighting; designated areas, use                                |     |     |
| K39                   | Thermometers provided, accurate                                                     |     |     |
| K40                   | Wiping cloths: properly used, stored                                                |     |     |
| K41                   | Plumbing approved, installed, in good repair; proper backflow devices               | X   |     |
| K42                   | Garbage & refuse properly disposed; facilities maintained                           |     |     |
| K43                   | Toilet facilities: properly constructed, supplied, cleaned                          |     |     |
| K44                   | Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing |     |     |
| K45                   | Floor, walls, ceilings: built, maintained, clean                                    |     |     |
| K46                   | No unapproved private home/living/sleeping quarters                                 |     |     |
| K47                   | Signs posted; last inspection report available                                      |     |     |

# OFFICIAL INSPECTION REPORT

|                                                                           |                                                     |                                  |
|---------------------------------------------------------------------------|-----------------------------------------------------|----------------------------------|
| Facility<br>FA0204957 - PIZZERIA DELFINA                                  | Site Address<br>651 EMERSON ST, PALO ALTO, CA 94301 | Inspection Date<br>01/30/2026    |
| Program<br>PR0305308 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14 | Owner Name<br>PANNA LLC DBA PIZZERIA DELFINA        | Inspection Time<br>13:30 - 14:30 |
| K48                                                                       | Plan review                                         |                                  |
| K49                                                                       | Permits available                                   |                                  |
| K58                                                                       | Placard properly displayed/posted                   |                                  |

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K09 - 3 Points - Improper cooling methods; 114002, 114002.1

**Inspector Observations: Measured chicken cooling on a tray at 84F in upright unit. [CA] Provide an ice bath underneath the tray to facilitate rapid cooling. [COS]**

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

**Inspector Observations: Quat ammonium test strips on site noted with expiration date 2021 and 2023. When testing the sanitizing solution, test strip gave a false reading of 0 ppm. [CA] Replace test strips with a new one to ensure accurate test result.**

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

**Inspector Observations: The goose neck faucet at the hand sink at bar is leaking. [CA] Repair the faucet.**

### Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

### Measured Observations

| Item        | Location                        | Measurement       | Comments    |
|-------------|---------------------------------|-------------------|-------------|
| meat sauce  | prepared foods unit upright     | 38.00 Fahrenheit  |             |
| meatball    | rack                            | 62.00 Fahrenheit  | TPHC 12p-4p |
| ambient     | produce unit                    | 33.00 Fahrenheit  |             |
| pork patty  | saute station unit              | 39.00 Fahrenheit  |             |
| water       | 3 comp sink                     | 120.00 Fahrenheit |             |
| thermolabel | high temp dishwasher            | 160.00 Fahrenheit |             |
| water       | hand sinks- all                 | 100.00 Fahrenheit |             |
| sausage     | pizza prep station              | 41.00 Fahrenheit  |             |
| mozzarella  | dairy cheese unit               | 34.00 Fahrenheit  |             |
| chlorine    | bar dishwasher                  | 100.00 PPM        |             |
| ambient     | prep unit                       | 40.00 Fahrenheit  |             |
| prosciutto  | pantry station                  | 41.00 Fahrenheit  |             |
| mozzarella  | 2 door unit- patio storage      | 40.00 Fahrenheit  |             |
| eggs        | single door unit- patio storage | 33.00 Fahrenheit  |             |
| ambient     | single door unit- patio storage | 35.00 Fahrenheit  |             |

### Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **2/13/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

|                                                                           |                                                     |                                  |
|---------------------------------------------------------------------------|-----------------------------------------------------|----------------------------------|
| Facility<br>FA0204957 - PIZZERIA DELFINA                                  | Site Address<br>651 EMERSON ST, PALO ALTO, CA 94301 | Inspection Date<br>01/30/2026    |
| Program<br>PR0305308 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14 | Owner Name<br>PANNA LLC DBA PIZZERIA DELFINA        | Inspection Time<br>13:30 - 14:30 |

## Legend:

|        |                                 |
|--------|---------------------------------|
| [CA]   | Corrective Action               |
| [COS]  | Corrected on Site               |
| [N]    | Needs Improvement               |
| [NA]   | Not Applicable                  |
| [NO]   | Not Observed                    |
| [PBI]  | Performance-based Inspection    |
| [PHF]  | Potentially Hazardous Food      |
| [PIC]  | Person in Charge                |
| [PPM]  | Part per Million                |
| [S]    | Satisfactory                    |
| [SA]   | Suitable Alternative            |
| [TPHC] | Time as a Public Health Control |



Received By: Andrew Maloney

Signed On: January 30, 2026