

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| | | | | | |
|--|--|---|---------------------------------------|--------------------------------------|---|
| Facility FA0210205 - BISTRO TUPAZ | | Site Address 5899 SANTA TERESA BL 101, SAN JOSE, CA 95123 | | Inspection Date 09/16/2024 | |
| Program PR0303934 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14 | | | Owner Name TUPAZ BISTRO LLC | | Inspection Time 13:30 - 14:50 |
| Inspected By FARHAD AMIR-EBRAHIMI | Inspection Type ROUTINE INSPECTION | Consent By JEANNE DE ANGELO | FSC Deo Topaz 10/19/28 | | |

| |
|----------------------------------|
| Placard Color & Score |
| GREEN |
| 86 |

| RISK FACTORS AND INTERVENTIONS | IN | OUT | | COS/SA | N/O | N/A | PBI |
|---|----|-------|-------|--------|-----|-----|-----|
| | | Major | Minor | | | | |
| K01 Demonstration of knowledge; food safety certification | X | | | | | | |
| K02 Communicable disease; reporting/restriction/exclusion | X | | | | | | |
| K03 No discharge from eyes, nose, mouth | X | | | | | | |
| K04 Proper eating, tasting, drinking, tobacco use | X | | | | | | |
| K05 Hands clean, properly washed; gloves used properly | X | | | | | | |
| K06 Adequate handwash facilities supplied, accessible | | X | | | | | |
| K07 Proper hot and cold holding temperatures | X | | | | | | |
| K08 Time as a public health control; procedures & records | | | | | | X | |
| K09 Proper cooling methods | | | | | X | | |
| K10 Proper cooking time & temperatures | | | | | X | | |
| K11 Proper reheating procedures for hot holding | | | | | X | | |
| K12 Returned and reservice of food | | | | | X | | |
| K13 Food in good condition, safe, unadulterated | X | | | | | | |
| K14 Food contact surfaces clean, sanitized | X | | | | | | |
| K15 Food obtained from approved source | X | | | | | | |
| K16 Compliance with shell stock tags, condition, display | | | | | | X | |
| K17 Compliance with Gulf Oyster Regulations | | | | | | X | |
| K18 Compliance with variance/ROP/HACCP Plan | | | | | | X | |
| K19 Consumer advisory for raw or undercooked foods | | | | | | X | |
| K20 Licensed health care facilities/schools: prohibited foods not being offered | | | | | | X | |
| K21 Hot and cold water available | X | | | | | | |
| K22 Sewage and wastewater properly disposed | X | | | | | | |
| K23 No rodents, insects, birds, or animals | X | | | | | | |

| GOOD RETAIL PRACTICES | OUT | COS |
|---|-----|-----|
| K24 Person in charge present and performing duties | | |
| K25 Proper personal cleanliness and hair restraints | | |
| K26 Approved thawing methods used; frozen food | | |
| K27 Food separated and protected | | |
| K28 Fruits and vegetables washed | | |
| K29 Toxic substances properly identified, stored, used | | |
| K30 Food storage: food storage containers identified | | |
| K31 Consumer self service does prevent contamination | | |
| K32 Food properly labeled and honestly presented | | |
| K33 Nonfood contact surfaces clean | | |
| K34 Warewash facilities: installed/maintained; test strips | X | |
| K35 Equipment, utensils: Approved, in good repair, adequate capacity | X | |
| K36 Equipment, utensils, linens: Proper storage and use | | |
| K37 Vending machines | | |
| K38 Adequate ventilation/lighting; designated areas, use | | |
| K39 Thermometers provided, accurate | | |
| K40 Wiping cloths: properly used, stored | X | |
| K41 Plumbing approved, installed, in good repair; proper backflow devices | | |
| K42 Garbage & refuse properly disposed; facilities maintained | | |
| K43 Toilet facilities: properly constructed, supplied, cleaned | | |
| K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing | | |
| K45 Floor, walls, ceilings: built,maintained, clean | | |
| K46 No unapproved private home/living/sleeping quarters | | |
| K47 Signs posted; last inspection report available | | |

OFFICIAL INSPECTION REPORT

| | | |
|---|--|----------------------------------|
| Facility FA0210205 - BISTRO TUPAZ | Site Address 5899 SANTA TERESA BL 101, SAN JOSE, CA 95123 | Inspection Date 09/16/2024 |
| Program PR0303934 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14 | Owner Name TUPAZ BISTRO LLC | Inspection Time 13:30 - 14:50 |
| K48 | Plan review | |
| K49 | Permits available | |
| K58 | Placard properly displayed/posted | |

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Cooking area hand sink has been removed [CA] Reinstall an ANSI/NSF approved hand sink with cold and hot water by the existing soap dispenser and install a paper towel dispenser as well. Reinstall hand sink by 10/16/24.

Follow-up By
10/16/2024

Minor Violations

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Lack chlorine test paper [CA] Provide chlorine test paper and check dishwasher rinse water chlorine level daily.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: As noted on the 02/26/2024 inspection report, a walk-in cooler and a walk-in freezer have been added without approval [CA] Submit plans to his department for approval by 10/16/2024.

Follow-up By
10/16/2024

K40 - 2 Points - Wiping cloths: improperly used and stored; 114135, 114185.1 114185.3(d,e)

Inspector Observations: Wiping cloth pail sanitizer 0 ppm [CA] Maintain quat sanitizer at 200 ppm - Corrected

Performance-Based Inspection Questions

N/A

Measured Observations

| Item | Location | Measurement | Comments |
|------------|-----------------|-------------------|----------|
| Quat | Pail | 0.00 Fahrenheit | |
| Chlorine | Dishwasher | 50.00 PPM | |
| Cheesecake | Display case | 44.00 Fahrenheit | |
| Water | 3-comp sink | 120.00 Fahrenheit | |
| Fries | Freezer | 18.00 Fahrenheit | |
| Cheese | Walk-in xcooler | 39.00 Fahrenheit | |
| Milk | Line cooler | 40.00 Fahrenheit | |
| Ice cream | Walk-in freezer | 10.00 Fahrenheit | |

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/30/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

| | | |
|---|--|----------------------------------|
| Facility FA0210205 - BISTRO TUPAZ | Site Address 5899 SANTA TERESA BL 101, SAN JOSE, CA 95123 | Inspection Date 09/16/2024 |
| Program PR0303934 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14 | Owner Name TUPAZ BISTRO LLC | Inspection Time 13:30 - 14:50 |

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Jeanne De Angelo

Signed On: September 16, 2024