

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0208119 - TPS LIQUOR INC		Site Address 2507 S KING RD, SAN JOSE, CA 95121		Inspection Date 12/08/2025	
Program PR0303976 - NO FOOD PREP <5,000 SQ FT - FP06			Owner Name TPS LIQUORS INC		Inspection Time 09:30 - 10:15
Inspected By JENNIFER RIOS	Inspection Type ROUTINE INSPECTION	Consent By PRABIN	FSC Exempt		

Placard Color & Score GREEN 79

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification						X	
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth					X		
K04 Proper eating, tasting, drinking, tobacco use					X		
K05 Hands clean, properly washed; gloves used properly					X		
K06 Adequate handwash facilities supplied, accessible			X				
K07 Proper hot and cold holding temperatures			X	X			
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods						X	
K10 Proper cooking time & temperatures						X	
K11 Proper reheating procedures for hot holding						X	
K12 Returned and reservice of food						X	
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized					X		
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available		X					
K22 Sewage and wastewater properly disposed			X				
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean	X	
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0208119 - TPS LIQUOR INC	Site Address 2507 S KING RD, SAN JOSE, CA 95121	Inspection Date 12/08/2025
Program PR0303976 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name TPS LIQUORS INC	Inspection Time 09:30 - 10:15
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted		

Comments and Observations

Major Violations

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water was not provided at the janitorial sink, two compartment sink or handwash sink. In the restroom, the water was turned off completely due to a leak. [CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks which shall be 100F.

Follow-up By
12/15/2025

[SA] Facility shall discontinue packaging ice until hot water has been restored. Handwashing shall be done at the two compartment sink while bathroom sink is repaired/replaced.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: A bar of soap was provided at the handwash in the restroom. [CA] Provide handwashing cleanser in dispenser at handwash stations at all times.

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Milk, hot dogs in reach in fridge measured 45F. [CA] PHFs shall be held at 41°F or below or at 135°F or above.

Follow-up By
12/15/2025

K22 - 3 Points - Sewage and wastewater improperly disposed; 114197

Inspector Observations: Observed mop water stored in bucket. [CA] Ensure that mop water is disposed of through janitorial sink after use.

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations: Observed heavy accumulation of debris/dirt on the fans and ceilings of the walk in fridge. [CA] Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Reach in fridge measured 48F. [CA] Refrigeration must be capable of maintaining PHFs at 41°F or below.

Follow-up By
12/15/2025

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Ice cream	Reach in freezer	3.00 Fahrenheit	
Milk	Reach in fridge	45.00 Fahrenheit	
Hot water	Two compartment sink	60.00 Fahrenheit	
Hot dog	Reach in fridge	46.00 Fahrenheit	
Ambient air	Reach in fridge	48.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0208119 - TPS LIQUOR INC	Site Address 2507 S KING RD, SAN JOSE, CA 95121	Inspection Date 12/08/2025
Program PR0303976 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name TPS LIQUORS INC	Inspection Time 09:30 - 10:15

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/22/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Prabin Thapa
Worker

Signed On: December 08, 2025