

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| | | |
|---|--|----------------------------------|
| Facility FA0271012 - LIFEWORKS @ FLEXTRONICS (FLEXTRONICS C | Site Address 6201 AMERICA CENTER DR, SAN JOSE, CA 95002 | Inspection Date 03/14/2023 |
| Program PR0411505 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14 | Owner Name ARAMARK | Inspection Time 14:45 - 15:15 |
| Inspected By GINA STIEHR | Inspection Type FOLLOW-UP INSPECTION | Consent By JEFF SCHMIDT |

| |
|---|
| Placard Color & Score RED N/A |
|---|

Comments and Observations

Major Violations

N/A

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

This food facility shall not be open for business without a valid health permit.

CEASE AND DESIST ALL ACTIVITIES.

Please contact local health department at 408-918-3400 to obtain a valid health permit. Payment can be made online at www.ehinfo.org

AR1307736

IN1268585

Amount Due: \$2,428.75

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/28/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: Jeff Schmidt
Chef de Cuisine
Signed On: March 14, 2023