# County of Santa Clara

**Department of Environmental Health**

**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org


## OFFICIAL INSPECTION REPORT

| Facility | Site Address | Inspection Date |
|---|---|---|
| FA0212900 - MOUNTAIN MIKE'S | 12850 SARATOGA-SUNNYVALE RD, SARATOGA, C. | 01/13/2025 |
| **Program** | **Owner Name** | **Inspection Time** |
| PR0303214 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10 | BREA RESTAURANTS LLC | 14:30 - 16:00 |

| Inspected By | Inspection Type | Consent By | FSC |
|---|---|---|---|
| FRANK LEONG | ROUTINE INSPECTION | RAMTIN MOHAMMADI | Not Available |

**Placard Color & Score**

**GREEN**

**95**

| | RISK FACTORS AND INTERVENTIONS | IN | OUT Major | OUT Minor | COS/SA | N/O | N/A | PBI |
|---|---|---|---|---|---|---|---|---|
| K01 | Demonstration of knowledge; food safety certification | | | X | | | | |
| K02 | Communicable disease; reporting/restriction/exclusion | X | | | | | | S |
| K03 | No discharge from eyes, nose, mouth | X | | | | | | |
| K04 | Proper eating, tasting, drinking, tobacco use | X | | | | | | |
| K05 | Hands clean, properly washed; gloves used properly | X | | | | | | S |
| K06 | Adequate handwash facilities supplied, accessible | X | | | | | | S |
| K07 | Proper hot and cold holding temperatures | X | | | | | | |
| K08 | Time as a public health control; procedures & records | | | | | | X | |
| K09 | Proper cooling methods | X | | | | | | |
| K10 | Proper cooking time & temperatures | X | | | | | | |
| K11 | Proper reheating procedures for hot holding | X | | | | | | |
| K12 | Returned and reservice of food | X | | | | | | |
| K13 | Food in good condition, safe, unadulterated | X | | | | | | |
| K14 | Food contact surfaces clean, sanitized | X | | | | | | |
| K15 | Food obtained from approved source | X | | | | | | |
| K16 | Compliance with shell stock tags, condition, display | | | | | | X | |
| K17 | Compliance with Gulf Oyster Regulations | | | | | | X | |
| K18 | Compliance with variance/ROP/HACCP Plan | | | | | | X | |
| K19 | Consumer advisory for raw or undercooked foods | | | | | | X | |
| K20 | Licensed health care facilities/schools: prohibited foods not being offered | | | | | | X | |
| K21 | Hot and cold water available | X | | | | | | |
| K22 | Sewage and wastewater properly disposed | X | | | | | | |
| K23 | No rodents, insects, birds, or animals | X | | | | | | |

| | GOOD RETAIL PRACTICES | OUT | COS |
|---|---|---|---|
| K24 | Person in charge present and performing duties | | |
| K25 | Proper personal cleanliness and hair restraints | | |
| K26 | Approved thawing methods used; frozen food | | |
| K27 | Food separated and protected | | |
| K28 | Fruits and vegetables washed | | |
| K29 | Toxic substances properly identified, stored, used | | |
| K30 | Food storage: food storage containers identified | | |
| K31 | Consumer self service does prevent contamination | | |
| K32 | Food properly labeled and honestly presented | | |
| K33 | Nonfood contact surfaces clean | | |
| K34 | Warewash facilities: installed/maintained; test strips | | |
| K35 | Equipment, utensils: Approved, in good repair, adequate capacity | X | |
| K36 | Equipment, utensils, linens: Proper storage and use | | |
| K37 | Vending machines | | |
| K38 | Adequate ventilation/lighting; designated areas, use | | |
| K39 | Thermometers provided, accurate | | |
| K40 | Wiping cloths: properly used, stored | | |
| K41 | Plumbing approved, installed, in good repair; proper backflow devices | | |
| K42 | Garbage & refuse properly disposed; facilities maintained | | |
| K43 | Toilet facilities: properly constructed, supplied, cleaned | | |
| K44 | Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing | | |
| K45 | Floor, walls, ceilings: built,maintained, clean | | |
| K46 | No unapproved private home/living/sleeping quarters | | |
| K47 | Signs posted; last inspection report available | | |

# OFFICIAL INSPECTION REPORT

| Facility | Site Address | Inspection Date |
|---|---|---|
| FA0212900 - MOUNTAIN MIKE'S | 12850 SARATOGA-SUNNYVALE RD, SARATOGA, CA 95070 | 01/13/2025 |
| **Program** | **Owner Name** | **Inspection Time** |
| PR0303214 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10 | BREA RESTAURANTS LLC | 14:30 - 16:00 |

| | | | |
|---|---|---|---|
| K48 | Plan review | | |
| K49 | Permits available | | |
| K58 | Placard properly displayed/posted | | |

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

***Inspector Observations: Food safety manager's certificate unavailable upon request. [CA] Ensure a valid food safety manager's certificate is available for review and posted within the facility.***

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

***Inspector Observations: Observed worn wooden pieces at the cabinet area below the self-service salad bar. [CA] Ensure cabinet area is repaired or replaced to prevent possible harborage of vermin.***

### Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

### Measured Observations

| Item | Location | Measurement | Comments |
|---|---|---|---|
| pepproni | 3 door prep unit | 41.00 Fahrenheit | |
| quaternary ammonium sanitizer | 3 compartment sink | 400.00 PPM | |
| diced chicken | 3 door prep unit | 41.00 Fahrenheit | |
| ham | walk-in refrigerator | 41.00 Fahrenheit | |
| hot water | 3 compartment sink | 100.00 Fahrenheit | |
| pepperoni | walk-in refrigerator | 41.00 Fahrenheit | |
| shredded cheese | 3 door prep unit | 41.00 Fahrenheit | |
| tomato sauce | 3 door prep unit | 41.00 Fahrenheit | |
| diced tomatoes | 3 door prep unit | 41.00 Fahrenheit | |
| diced tomatoes | walk-in refrigerator | 41.00 Fahrenheit | |
| hot water | handwash sink | 120.00 Fahrenheit | |

### Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/27/2025**.Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

**Legend:**

| | |
|---|---|
| **[CA]** | Corrective Action |
| **[COS]** | Corrected on Site |
| **[N]** | Needs Improvement |
| **[NA]** | Not Applicable |
| **[NO]** | Not Observed |
| **[PBI]** | Performance-based Inspection |
| **[PHF]** | Potentially Hazardous Food |
| **[PIC]** | Person in Charge |
| **[PPM]** | Part per Million |
| **[S]** | Satisfactory |
| **[SA]** | Suitable Alternative |
| **[TPHC]** | Time as a Public Health Control |

**Received By:** RAMTIN MOHAMMADI
OWNER

**Signed On:** January 13, 2025