

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0271834 - PASTA FRESCA		Site Address 87 N SAN PEDRO ST 131, SAN JOSE, CA 95110		Inspection Date 12/20/2024		Placard Color & Score GREEN 87		
Program PR0411015 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name SHAWN MCKENNA		Inspection Time 12:45 - 13:40			
Inspected By ALEXANDER ALFARO		Inspection Type ROUTINE INSPECTION		Consent By JUAN				FSC Shawn McKenna 09/29/2027

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification			X				
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected	X	
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use	X	
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices	X	
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean	X	
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0271834 - PASTA FRESCA	Site Address 87 N SAN PEDRO ST 131, SAN JOSE, CA 95110	Inspection Date 12/20/2024
Program PR0411015 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name SHAWN MCKENNA	Inspection Time 12:45 - 13:40
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations:

Some of the staff's food handler cards have expired.

[CA] Each food handler shall maintain a valid food handler card for the duration of his or her employment as food handler. A valid food handler card shall be provided within 30 days of after the date of hire.

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations:

In the facilities held in common walk in cooler, at the wire storage racks, liquid eggs were observed to be stored above ready to eat foods (lettuce).

[CA] All food shall be separated and protected from cross-contamination. Store all raw meat or other raw products of animal origin below ready-to-eat food items.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations:

1. Facility lacks the testing materials for their choice of sanitizer, quaternary ammonia.

[CA] Testing equipment and materials shall be provided to adequately measure the applicable sanitization method used during manual or mechanical warewashing.

2. Facility lacks plugs/stoppers to fill the basins of the three compartment sink.

[CA] Plugs/stoppers shall be available to fill up the warewashing sink.

[SA] Facility had large tubs in the basins of the sink. Facility has large pots that would not fit in the tubs but would fit in the basins of the sink.

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations:

A deli container was found being used as a scooper for sugar.

[CA] Use approved utensils such as scoops or spoons with handles to ensure hands do not come in direct contact with food.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

OFFICIAL INSPECTION REPORT

Facility FA0271834 - PASTA FRESCA	Site Address 87 N SAN PEDRO ST 131, SAN JOSE, CA 95110	Inspection Date 12/20/2024
Program PR0411015 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name SHAWN MCKENNA	Inspection Time 12:45 - 13:40

Inspector Observations:

1. At the only hand wash sink, the hot and cold water handles do not function to turn the water on or off. There is a small metal stick that is pressed into the faucet to let water flow. Water will not flow unless the metal stick is being pushed.

Follow-up By
12/21/2024

[CA] Repair the faucet of the hand sink so water may flow freely. Correct within 24 hours.

2. At the three compartment sink, the gooseneck faucet has a leak.

[CA] Repair plumbing fixture and maintain in clean and good repair.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations:

The floor of the facilities held in common walk in freezer had an excess of raviolis and other pastas on the floor.

[CA] Ensure to maintain the floors, walls, and ceilings of the facility clean.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Quaternary Ammonia - Sanitizer	Three Compartment Sink - Tub	300.00 PPM	
Chlorine - Sanitizer	Sanitizer Bucket	100.00 PPM	
Water	Three Compartment Sink	120.00 Fahrenheit	
Sliced Tomato	Prep Cooler - Top Insert	40.00 Fahrenheit	
Water	Hand Sink	108.00 Fahrenheit	
Chicken	Prep Cooler - Top Insert	39.00 Fahrenheit	
Liquid Eggs	Prep Cooler	40.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/3/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Eduardo Ignacio Lorenzo
Kitchen Help
Signed On: December 20, 2024