

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0255962 - SUBWAY SANDWICHES #28976		Site Address 870 S BASCOM AV, SAN JOSE, CA 95128		Inspection Date 05/07/2026	
Program PR0373786 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name E & K RISING, INC		Inspection Time 14:40 - 15:50
Inspected By HINA WYNE	Inspection Type ROUTINE INSPECTION	Consent By MARTHA GARCIA	FSC JOSEPH YOO 05/23/2026		

Placard Color & Score
GREEN
90

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures			X				S
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures						X	
K11 Proper reheating procedures for hot holding					X		S
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available			X				S
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices	X	
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0255962 - SUBWAY SANDWICHES #28976	Site Address 870 S BASCOM AV, SAN JOSE, CA 95128	Inspection Date 05/07/2026
Program PR0373786 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name E & K RISING, INC	Inspection Time 14:40 - 15:50
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	X

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Cooked eggs were measured 45 F.
[CA] PHFs shall be held at 41°F or below or at 135°F or above.
[SA] Cooked eggs was placed inside the freezer for rapid cooling.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot running water was measured 93 F at the back area hand washing sink and other sinks were at 113F.
[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks supplied at 100F - 108F.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Food prep sink faucet was leaking.
[CA] Repair leaking faucet.

K58 - 2 Points - Placard not properly displayed/posted

Inspector Observations: Missing placard and facility didn't know what happened.
[CA] The placard shall be posted and clearly visible to the general public and patrons entering the food establishment.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
QA SANITIZER	3-COMP SINK	200.00 PPM	
COOKED EGGS	COLD HOLDING	45.00 Fahrenheit	
TURKEY	COLD HOLDING	40.00 Fahrenheit	
HOT WATER	3-COMP SINK	110.00 Fahrenheit	
TOMATOES	COLD HOLDING	40.00 Fahrenheit	
TUNA	COLD HOLDING	38.00 Fahrenheit	
VEG PATTIE	COLD HOLDING	40.00 Fahrenheit	
HOT WATER	HAND WASHING NEXT TO PREP SINK	93.00 Fahrenheit	
HOT WATER	JANITORIAL SINK	113.00 Fahrenheit	
CHICKEN CUBES	WALK IN COOLER	38.00 Fahrenheit	
HOT WATER	HGANDWASHING FRONT	100.00 Fahrenheit	
MEAT BALLS	HOT HOLDING	180.00 Fahrenheit	
HOT WATER	FOOD PREP SINK	113.00 Fahrenheit	
CHICKEN SOUP	HOT HOLDING	160.00 Fahrenheit	
COOKIE DOUGH	WALK IN FREEZER	10.00 Fahrenheit	
CHICKEN TERIYAKI	COLD HOLDING	38.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0255962 - SUBWAY SANDWICHES #28976	Site Address 870 S BASCOM AV, SAN JOSE, CA 95128	Inspection Date 05/07/2026
Program PR0373786 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name E & K RISING, INC	Inspection Time 14:40 - 15:50

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/21/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

MG

Received By: Martha Garcia
PIC
Signed On: May 07, 2026